

PONDICHERRY UNIVERSITY
ENGINEERING WING

Er.N.SANKARAMOURTHY, B.E.,
EXECUTIVE ENGINEER

No.PU/EW/NIQ/2017-18/

Date: 22.11.2017

NOTICE INVITING QUOTATIONS

For and on behalf of Pondicherry University the Executive Engineer, Pondicherry University invites sealed quotations from the eligible / working contractors for the work of “Repair to the door and windows of gents hostel”. The rates should be filled in the schedule enclosed with this and placed in a sealed cover by superscribing the name of the work in the cover as mentioned above. An amount of Rs.2,800/- has to be furnished towards EMD which shall be in the form of demand draft from any of the nationalized banks payable at Pondicherry, drawn in favour of the Finance officer, Pondicherry University. The NIQ may also be downloaded from the University web site www.pondiuni.edu.in

The filled in quotations shall be placed in the tender box kept in the reception counter at Dr.B.R.Ambedhkar Administrative Block, Pondicherry University. The quotations will be received up to 3.00 p.m. on 04.12.2017 and will be opened at 3.30 p.m. on the same day in the presence of tenderers those who present at the time of opening.

The Executive Engineer, Pondicherry University reserves the right to accept or reject any or all quotations without assigning any reason thereof.

EXECUTIVE ENGINEER

Encl: Schedule

PONDICHERY UNIVERSITY
ENGINEERING WING

SCHEDULE OF WORK

Name of the work: Repair to the door and windows of gents hostel

S. No.	Description	Qty.	Rate Rs.P.	Unit	Amount Rs.P.
1 15.13 .1	Taking out doors, windows and clerestory window shutters (steel or wood) including stacking within 50m lead - of area 3 sq. metre and below.	2.00		Each	
2 9.1.2 P	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position - Padak wood	0.100		Cum	
3 9.9.1. 2P	Providing and fixing glazed shutters for doors, windows and clerestory windows using 4mm thick float glass panes including black enamelled ISI marked MS butt hinges with necessary screws. - Padak teak wood - 30mm thick	14.00		Sqm	
4 9.97. 4	Providing and fixing aluminium tower bolts ISI marked anodised (anodic coating not less than grade AC 10 as per IS:1868) transparent or dyed to required colour or shade with necessary screws etc. complete : - 150x10mm	40.00		Each	
5 9.20. 3	Providing and fixing ISI marked flush door shutters conforming to IS:2202 (Part 1) decorative type, core of block board construction with frame of 1st class hard wood and well matched teak 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters. - 25mm thick (for cupboard) including ISI marked nickel plated bright finished M.S. Piano hinges IS : 3818 marked with necessary screws	2.60		Sqm	
6 9.100 .1	Providing and fixing aluminium handles ISI marked anodised (anodic coating not less than grade AC 10 as per IS:1868) transparent or dyed to required colour or shade with necessary screws etc. complete :- 125mm	24		Each	

7 9.53	Providing 40x5 mm flat iron hold fast 40cm long including fixing to frame with 10mm diameter bolts, nuts and wooden plugs and embedding in cement concrete block 30x10x15cm 1:3:6 mix (1 cement : 3 coarse sand : 6 graded stone aggregate 20mm nominal size)	12.00		Each	
8 14.1. 1	Repairs to plaster of thickness 12mm to 20mm in patches of area 2.5 sq. metres and under . including cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls complete including disposal of rubbish to the dumping ground within 50 metres lead - With cement mortar 1:4 (1 cement : 4 fine sand)	2.00		sqm	
9 14.6. 2	Renewing glass panes, with wooden fillets wherever necessary - Float glass panes of thickness 5mm	45.00		Sqm	
10 14.6. 3	Renewing glass panes, with wooden fillets wherever necessary - Float glass panes of thickness 6mm	2.00		Sqm	
11 21.3. 3	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc., with PVC / neoprene gasket etc., complete as per the architectural drawings. (cost of aluminium snap beading shall be paid in basic item) : With float glass panes of 6.0mm thickness	2.50		Sqm	
12 13.50 .1	Applying priming coat - with ready mixed pink or grey primer of approved brand and manufacture on wood work (hard and soft wood).	21.00		sqm	
13 13.61 .1	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade - Two or more coats on new work.	21.00		Sqm	
	Total				

Terms & Conditions:

- i) The rates specified are firm and not subject to any variation.
- ii) The work should be completed within 30 days.
- iii) Payment will be made only after completion of the entire work.
- iv) The material should be got approved before commencement of work.

Executive Engineer