

PONDICHERRY UNIVERSITY
ENGINEERING WING

Er.N.SANKARAMOURTHY, B.E.,
EXECUTIVE ENGINEER

No.PU/EW/NIQ/2017-18/

Date: 13.02.2018

NOTICE INVITING QUOTATIONS

For and on behalf of Pondicherry University the Executive Engineer, Pondicherry University invites sealed quotations from the eligible / working contractors for the work of “Providing Ramp and hand rail to the rear entrance of the admin block”. The rates should be filled in the schedule enclosed with this and placed in a sealed cover by superscribing the name of the work in the cover as mentioned above. An amount of Rs.2,200/- has to be furnished towards EMD which shall be in the form of demand draft from any of the nationalized banks payable at Pondicherry, drawn in favour of the Finance officer, Pondicherry University. The NIQ may also be downloaded from the University web site www.pondiuni.edu.in

The filled in quotations shall be placed in the tender box kept in the reception counter at Dr.B.R.Ambedhkar Administrative Block, Pondicherry University. The quotations will be received up to 3.00 p.m. on 22.02.2018 and will be opened at 3.30 p.m. on the same day in the presence of tenderers those who present at the time of opening.

The Executive Engineer, Pondicherry University reserves the right to accept or reject any or all quotations without assigning any reason thereof.

EXECUTIVE ENGINEER

Encl: Schedule

PONDICHERY UNIVERSITY
ENGINEERING WING

SCHEDULE OF WORK

Name of the work: Providing Ramp and hand rail to the rear entrance of the admin block.

S. No.	Description	Qty.	Rate Rs.P.	Unit	Amount Rs.P.
1 10.28	Providing and fixing AISI 316 grade stainless steel hand rail of 50mm (outer dia 2mm wall thickness) stainless steel pipe supported on 40x10mm stainless steel flat at 600mm centre to centre to a total height of 900mm from the finished floor level and fixing 4nos .of 25mm (outer dia and 2mm wall thickness) stainless steel pipe as guard rails through the S.S.flat , with a base plate of size 100x100x8mm, including fixing in the base plate in concrete / wall surfaces by 4 nos of M-8 anchor fasteners and polishing the entire stainless steel work to no.4 surface finish as per the direction of engineer - in -charge	8.00		Mt	
2 2.8.1	Earth work in excavation by mechanical cum 226.87 means (Hydraulic excavator)/manual means in foundation trenches or drains (not exceeding 1.5m in width or 10 sqm on plan) including dressing of sides and ramming of bottoms , lift upto 1.5m, including getting out the excavated soil and disposal of surplus excavated soil as directed , within a lead of 50m -All kinds of soil.	1.00		cum	
3 6.1.2	Brick work with FPS bricks of class designation 35 in foundation and plinth in cement mortar 1:6 (1 cement : 6 coarse sand)	1.00		Cum	
4 2.27 A.1	Supplying and filling with gravel (excluding rock) in trenches, plinth, sides of foundations etc.in layers not exceeding 20cm in depth consolidating each deposited layers by ramming and watering etc.complete including all lead and lift.	3.00		cum	
5 4.1.1	Providing and laying in position cement concrete of specified grade excluding the	1.00		cum	

0	cost of centering and shuttering.- All work upto plinth level -1:5:10 (1 cement:5coarse sand : 10 graded stone aggregate 40mm nominal size)				
6 11.3. 1	Cement concrete flooring 1:2:4 (1 cement :2 coarse sand : 4 graded stone aggregate) finished with a floating coat of neat cement including cement slurry, but excluding the cost of nosing of steps etc. complete. 40mm thick with 20mm nominal size stone aggregate.	12.00		Sqm	
7 13.46 .1	Finishing walls with Acrylic Smooth exterior paint of required shade - New work (Two or more coat applied @ 1.67 ltr / 10 sqm over and including base coat of water proofing cement paint applied @ 2.20 kg / 10 sqm)	2.00		sqm	
	Total				

Terms & Conditions:

- i) The rates specified are firm and not subject to any variation.
- ii) The work should be completed within one month.
- iii) Payment will be made only after completion of the entire work.
- iv) The material should be got approved before commencement of work.

EXECUTIVE ENGINEER