PONDICHERRY UNIVERSITY ENGINEERING WING

Er.N.SANKARAMOURTHY, B.E.,

EXECUTIVE ENGINEER

No.PU/EW/NIQ/2017-18/

Date: 05.12.2017

NOTICE INVITING QUOTATIONS

For and on behalf of Pondicherry University, Executive Engineer, Engineering

wing, Pondicherry University invites sealed quotations from the eligible / working

contractors for the work of "Providing and fixing white vitreous china laboratory sink

with water line connection at Centre for Green Energy Technology". The rates should

be filled in the schedule enclosed with this and placed in a sealed cover by

superscribing the name of the work in the cover as mentioned above. An amount of

Rs.1,000/- has to be furnished towards EMD which shall be in the form of demand

draft from any one of the nationalized banks payable at Pondicherry, drawn in favour

of the Finance officer, Pondicherry University. The notice with schedule can also be

downloaded from the University website. www.pondiuni.edu.in

The filled in quotation shall to be placed in the tender box kept in the reception

counter at Dr.B.R.Ambedhkar Administrative Block, Pondicherry University. The

quotations will be received up to 3.00 p.m. on 14.12.2017 and will be opened at 3.30

p.m. on the same day in the presence of tenderers those who present at the time of

opening.

The Executive Engineer, Engineering wing, Pondicherry University reserves

the right to accept or reject any or all quotation without assigning any reason thereof.

EXECUTIVE ENGINEER

Encl: Schedule

PONDICHERRY UNIVERSITY ENGINEERING WING

SCHEDULE OF WORK

<u>Name of the work:</u> Providing and fixing white vitreous china laboratory sink with water line connection at Centre for Green Energy Technology.

S. No.	Description	Qty.	Rate Rs.P.	Unit	Amount Rs.P.
1	Code No: 15.23.2				
	Dismantling tile work in floors and roofs	0.20		Sqm	
	laid in cement mortar including stacking				
	material within 50m lead - For thickness				
	of tiles above 25mm and upto 40mm.				
2	Code No: 15.7.4				
	Demolishing brick work, manually / by	0.30		Cum	
	mechanical means including stacking of				
	serviceable material and disposal of				
	unserviceable material within 50 metres				
	lead -In cement mortar.				
3	Code No: 15.3				
	Demolishing R.C.C. work, including	0.30		Cum	
	stacking of steel bars and disposal of				
	unserviceable material within 50 metres				
	lead.				
4	Code No: 15.25				
	Dismantling stone slab flooring laid in	2.50		Sqm	
	cement mortar including stacking of				
	serviceable material and disposal of				
	unserviceable material within 50m lead.				
5	Code No: MR				
	Providing and fixing white vitreous	2.00		Each	
	china laboratory sink with CI brackets				
	CP brass chain with rubber plug 40mm				
	CP brass waste and 40mm CP brass trap				
	with necessary CP brass unions				
	complete including painting of fittings				
	and brackets cutting and making good				
	the walls wherever required size				
	600x450x200mm.				

6	Code No: 8.2.2.1			
	Providing and fixing 18mm thick gang	0.15	Sqm	
	saw cut mirror polished (premoulded			
	and prepolished) machine cut for kitchen			
	platforms, vanity counters, window sills,			
	facias and similar locations of required			
	size of approved shade, colour and			
	texture laid over 20mm thick base			
	cement mortar 1:4 (1 cement: 4 coarse			
	sand) with joints treated with white			
	cement, mixed with matching pigment,			
	epoxy touch ups, including rubbing,			
	curing moulding and polishing to edge to			
	give high gloss finish etc. complete at all			
	levels Granite of any colour and shade			
	- Area of slab upto 0.5 sqm			
7	Code No: 18.53.1			
	Providing and fixing CP brass angle	6.00	Each	
	valve for basin mixer and geyser points			
	of approved quality conforming to IS			
	8931 - 15 mm nominal bore.			
8	Code No: 18.21.2.1		 	
	Providing and fixing uplasticised PVC	5.00	Each	
	connection pipe with brass unions 45 cm			
	length 15 mm nominal bore.		 	
9	Code No: MR			
	Providing and fixing brass three way lab	5.00	Each	
	bib cock of approved quality. The rate			
	including labours and materials etc.,			
	complete as direction by the Engineer –			
	in-charge - 15 mm nominal bore.			
10	Code No: 19.33.2			
	Providing and fixing on wall/column	15.00	Rmt	
	face unplasticised - PVC soil and waste			
	pipes (type B) conforming to IS:13592 -			
	1992 including jointing with seal ring			
	conforming to IS: 5382 leaving 10mm			
	gap for thermal expansion - single			
	socketed pipes 75mm diameter			
				1

11	Code No: 19.33.2A			
	Providing and fixing on wall/column	2.00	Each	
	face unplasticisd - PVC moulded fittings			
	/ accessories for unplasticisd - PVC soil			
	and waste pipes conforming to IS:14735			
	- 1999 including jointing with seal ring			
	conforming to IS: 5382 leaving 10mm			
	gap for thermal expansion - Single tee			
	with door - 75x75x75mm			
12	Code No: 19.33.2B			
	Providing and fixing on wall face	1.00	Each	
	/column face unplasticised - PVC			
	moulded fittings /accessories for			
	unplasticisd - PVC soil			
	and waste pipes conforming to IS			
	:14735-1999 including jointing with seal			
	ring conforming to IS:5382 leaving			
	10mm gap for thermal expansion -			
	Single tee without door - 75x75x75mm			
13	Code No: 12.43.1			
	Providing and fixing unplasticised -	9.00	Each	
	PVC pipe clips of approved design to			
	unplasticised - PVC rain water pipes by			
	means of 50x50x50mm hard wood			
	plugs, screwed with M.S. screws of			
	required length including cutting brick			
	work and fixing in cement mortar 1:4(1			
	cement: 4 coarse sand) and making			
	good the wall etc. complete. 75mm			
14	Code No: 18.7.3			
	Providing and fixing chlorinated	34.00	Rmt	
	polyvinyl chloride (CPVC) pipes having			
	thermal stability for hot & cold water			
	supply including all CPVC plain & brass			
	threaded fittings i/c fixing the pipe with			
	clamps at 1.00m spacing. This includes			
	jointing of pipes & fitting with one step			
	CPVC solvent cement and testing of			
	joints complete. (Internal work exposed			
	on wall) - 25mm nominal outer dia pipes			

15	Code No: 17.28.2.2			
	Providing and fixing PVC waste pipe for	4.00	Each	
	sink or wash basin including PVC waste			
	fittings complete - Flexible pipe - 40mm			
	dia.			
16	Code No: 13.3.2			
	20mm cement plaster of mix cement	10.00	Sqm	
	mortar 1:6 (1 cement : 6 fine sand)			
17	Code No: 13.60.1C			
	Wall painting with plastic emulsion	10.00	Sqm	
	paint Commercial of approved brand and			
	manufacture to give an even shade - two			
	or more coats on new work			
18	Code No: 14.53.1C			
	Wall painting with plastic emulsion	20.00	Sqm	
	paint - Commercial of approved brand			
	and manufacture to give an even shade -			
	One or more coats on old work			
19	Code No: 31.9.3			
	Providing and fixing brass gate valve	2.00	Each	
	with C.I. wheel of approved quality			
	(screwed end) - 25mm nominal bore.			
	Total			

Terms & Conditions:

- i) The rates specified are firm and not subject to any variation.
- ii) The work should be completed within 20 days.
- iii) Payment will be made only after completion of the entire work.
- iv) The material should be got approved before commencement of work.

Executive Engineer