

PONDICHERRYUNIVERSITY

(A Central University)

Kalapet, R.V. Nagar, Puducherry-605 014, INDIA.

www.pondiuni.edu.in

Corrigendum to Tender Notification for the purchase of X-ray Photoelectron Spectrometer (XPS) under DST Purse Phase II by Pondicherry University invites sealed tenders under Two Bid system (Technical and Commercial). The complete details regarding Specifications, Technical details, Eligibility, Tender. Document Fee, EMD, address and Method for submission of Bid Documents, etc. are given below

The last date and time for submission : June 13, 2018, 3.00 pm.

of Tenders has been extended to

Tender **opening** on : **June 13, 2018, 3.30 pm**



PONDICHERRY UNIVERSITY (A Central University)

Tender document for supply of X-ray Photoelectron Spectrometer (XPS)

(Tender No. Ref: - PU/DST-PURSE-II/Pur-XPS/2017-18/002, Dt. 23.03.18)

CONTENTS

S.No	Content	Page No.
I	Terms and conditions under two bid system	3
II	Check list to be submitted along with the Technical bid	9
III	Description & Technical Specifications of Instrument	10
111	X-ray Photoelectron Spectrometer (XPS)	
IV	Annexure- I (Bidder's Warranty)	16
V	Annexure-II (Bank Guarantee)	17

TERMS AND CONDITIONS (UNDER TWO BID SYSTEM)

I. Instructions to the Bidder: -

1.Purchase of Tender Document

The Tender document can be either downloaded from the University website www.pondiuni.edu.in or procured from the Information Facilitation Counter, Dr.Ambedkar Administrative Block, Pondicherry University on payment of tender document fee as specified below, by means of a Demand draft drawn in favour of the Finance Officer, Pondicherry University, payable at Puducherry. In case of downloaded documents, it should be submitted along with the tender document fee in the form of Demand draft drawn as mentioned above.

2. Tender Document fee and EMD to be submitted

Sl. No.	Equipment	Tender Document fee	E.M.D.
1.	X-ray Photoelectron Spectrometer (XPS)	Rs. 2,500/-	Rs. 7,00,000/-

3. Last Date & Time for submission of Tender Documents

27.04.2018 at 3.00 p.m. and they will be opened on the same day at 3.30 p.m.

4. Submission of tender Document

Tender (**technical bid and price bid seperately**) must be submitted in sealed cover super-scribing thereon bidder's name, Notification No. and name of the Item, along with tender document and EMD. Any tender, submitted without tender document fee and EMD, will not be accepted. The tender should be dropped in the Tender Box placed at the Information Facilitation Counter, Pondicherry University, or sent by Registered post / courier service addressed to "The Registrar, Pondicherry University, R.V.Nagar, Kalapet, Puducherry – 605 014, India" positively before the scheduled time. Tenders sent through e-mail, Fax or unsealed/not in closed cover will not be accepted.

5. Payment of EMD & Tender Document fee:

The Tender must be accompanied with EMD (refundable) and Tender document fee (non-refundable), as stated above, by means of a separate Demand Drafts, in favour of the Finance Officer, Pondicherry University, payable at Puducherry.

6. Quoting the Core price & Tax, Duties, Discount etc.

The taxes / duties / discounts, if applicable, are to be explicitly and separately shown in the bid and under no circumstances these components shall be added to the basic price and shown as single price. All the components of taxes, if applicable, should be shown explicitly and separately.

7. Electrical Power

All equipment must operate at 230V/50 Hz single phase and / or equivalent three phase electrical power.

8. The validity of the Quotation

The validity of the quotation should be for at least 180 days from the opening date of the tender.

9. Late Bids

The offers will not be considered if received after the bid closing date and time.

10. Invalid quotes

The offers received through telex / tele-fax / e-mail will not be accepted by the University under any circumstances.

11. In case of Postal loss

The University shall not be responsible for any delay / loss or non-receipt of tenders by post / courier service.

12. No unsolicited correspondence

No unsolicited correspondence shall be entertained after the submission of the offer.

13. Purchase Agreement

If an order is placed with the firm, the purchase shall be governed by an agreement as per the University rules in force at the time.

14. Additions in terms and conditions

Additional terms and conditions will be incorporated in the purchase order, if needed, to safe guard the interests of the University.

15. Non-transferable

Tender is not transferable.

16. Power to reject the offer

Any offer containing incorrect and incomplete information shall be liable for rejection.

Pondicherry University reserves the right to accept / reject any offer in full or in part or accept any offer other than the lowest offer without assigning any reason thereof. However, deficiencies on any one or, more of the following crucial criteria will be a material factor, for consideration other than the Lowest Quotation: -

- a) Total Number of installations of the similar Equipment in the premier Research Institutes in India.
- b) Availability of Service Network in India, especially in Chennai or Bengaluru.
- c) Valuable feedback from the present users about the performance, service support, accuracy of result, etc.
- d) Any other techno commercial information which is deemed fit to be important in the opinion of the University.

II. Price Schedule

- 17. The bidder who is capable of supplying the entire solutions for the instrument quoted as per the list of ITEMS mentioned in the schedule, is alone need to submit their quotation.
- 18. The rates should be quoted for a single unit.
- 19. The price should include the delivery and installation at the Central Instrumentation Facility, Pondicherry University, Puducherry and training charges (if any).
- 20. In price bid no other documents like technical manuals, number of installations, Customer list etc. must be there. All such documents must be enclosed in the technical bid.

III. Eligibility:

- 21. The firm must have the requisite domain expertise with regard to supply, installation and post-sale service of the items they are quoting.
- 22. The firm should have been in existence for at least **six years** as on the date of this document and must have sufficient number of installations at least three orders of the similar equipment in the premiere Research/academic institutes in India.
- 23. The firm should have nation-wide Service Network all over India, especially in Chennai or Bengaluru.
- 24. The feedbacks from the present users of the similar equipment about the performance, service support, accuracy of result, etc. are to be submitted along with the Tender Document.
- 25. Any other techno commercial information, pertaining to this particular Equipment, principal suppliers, technical background and capability, local agents' background on Scientific Equipment Business, etc. may also be appended along with testimonials and documentary proof.

IV. Conditions of Contract: -

- 26. The offer must be in English. The rates should be indicated both in figures and words against item specified in the given Annexure. It is preferable that the price be quoted in Indian Rupees or in US Dollars or in major foreign currencies.
- 27. The total cost should be quoted for FOB as well as CIF Pondicherry University, Puducherry.
- 28. The price quotes under FOB and CIF should also include the expected installation cost in the University Laboratory at Puducherry and also cost of consumables which are required for the main equipment for initial operation upto a reasonable period.
- 29. In case of the Principal supplier of Foreign country unable to meet the conditions stated at para no.4, the local agent / dealer should fulfill the above said conditions in respect of Local Insurance, Freight, safety transport and installation, etc.
- 30. The prices quoted shall remain firm until equipment is supplied to the Central Instrumentation Facility, Pondicherry University, Puducherry.
- 31. The University has been granted the benefit of exemption from the payment of the Central Excise Duty and Customs Duty by the Department of Scientific and Industrial Research (DSIR), India, vide their Notification No. 10/97 dt. 01-03-1997 and 51/96 dt. 23.07.96 respectively.

In respect of

- a. Scientific and technical instruments, apparatus, equipment including computers.
- b. Accessories and spare parts of goods specified in (a) above and consumables.
- c. Computer software, compact disks, CD ROM, Recording magnetic tapes, microfilms, micro-chips etc.
- d. Prototypes.

Customs duties at Indian port, if any, will be to the account of the University.

- 32. Infra-structural, power and any other requirement for satisfactory installation and commissioning of the whole system must be provided, at least 120 days in advance of the installation to be commenced. All drawing for electrical connections, electrical safety items piping work etc. must be provided in detail.
- 33. Complete technical specifications and literature, including process flow, to be included with the quotation. Manufacturers of various major parts/equipment must be mentioned explicitly.
- 34. A clear statement regarding availability of after-sales service and availability of spare-parts for next 10 years should be included.
- 35. Please give a recent customer list (within last five years) with contact details including email address.

- 36. If the tenderer have an authorized representative/agency in India, the technical ability of the agency to take care of the problems in the system, if developed later within the warranty and outside the warranty period has to be provided clearly. The responsibility of the Indian agent also must be clearly specified.
- 37. The bidder from abroad shall obtain, if required, export permission from the appropriate authorities in his country or the country of origin for items to be shipped to India in case of items to be imported. The University shall provide necessary information if required for this purpose.
- 38. The bidder from within India shall obtain the requisite approval for Imports etc., if required.
- 39. Warranty: The material covered under the purchase order, when installed, shall be warranted for the quality, workmanship, trouble free operation and performance for a period of **at least 36 months from the date of installation and the system into operation** at the Pondicherry University, or at least 42 months from the date of receipt of the last lot of the consignment in India. (A signed Bidder's Warranty as per Annexure I has to be submitted along with the Bid Document)

If any item covered under warranty fails, the same shall be replaced free of cost including all the applicable charges including shipping cost both ways.

40. <u>Payments terms</u>: Normally a letter of Credit will be opened for 100% FOB/CIF price on receipt of order acknowledgement. However, 90% of the LC amount will be paid after receipt of the proof of the shipment of the consignment with necessary documents as per the purchase order.

Balance of 10% of the LC amount shall be made after satisfactory installation and commissioning and against submission of the Installation & Commissioning certificate, duly accepted by the purchaser, and a performance bond of 10% of the total contract / purchase value in the form of bank guarantee (obtained from Nationalized Bank of India) for the duration of the Warranty period. (Refer Annexure – II for Bank Guarantee Format)

Bank charges in India shall be borne by the purchaser and outside India shall be borne by the contractor / supplier.

- 41. In case of any dispute in respect of the tender, all legal matters shall be instituted within the jurisdiction of the place where the purchaser ordinarily resides.
- 42. No Agency commission will be paid to any authorized agent in India.
- 43. Liquidated damages: Timely supply of the ordered items, installation, commissioning (wherever is applicable) and training etc. is the essence of the contract. In case of failure to supply within the time specified in the Purchase order, a penalty/LD of 0.5% of the total value per week or a part thereof shall be levied subject to a maximum of 7.5% in

Tender document for supply of Xray Photoelectron Spectrometer (XPS) Central Instrumentation Facility, Pondicherry University

respect of items which are not supplied. The decision of Pondicherry University shall be final in this regard.

44. The training should be provided by the firm on the specimen and operation of the equipments for a minimum period of three weeks from the date of installation with an expert team for two persons.

For any clarification with respect to technical specifications, please contact Prof. V.V. Ravi Kanth Kumar, Coordinator, DST Purse Phase-II, Pondicherry University, Puducherry.

Email: pudstpurse@gmail.com

Tel: 0413-2654406 Cell: +91 9487 436 539

Checklist is to be submitted along with the Technical bid X-ray Photoelectron spectrometer(XPS)

		To be submitted by the firm	To be verified by the Pondicherry University
1	Name of the firm and address		
2	Two sealed covers (Technical bid / Commercial bid)		
3	Earnest Money Deposit (EMD)	Name of the bank: Amount:	
4	Tender Document Fee	Name of the bank: Amount: Date:	
5	GST Registration Copy	Dutc.	
6	Income Tax Returns details for the last three years.		
7	Letter of Authorization from the Original Equipment Manufacturer (OEM) Distributor		
8	Tenderer should be in the business of similar products atleast for 6 years as on the date of submission of the bid. Proof to be submitted		
9	A list of customers with contact details to whom supply were made during last 3 years may be furnished		
10	Name of the service engineer to be deployed and his Contact No.	1. Name & Cell No.	

Signature of the authorized
person of the firm

Committee Members:

II. Descriptions& Technical Specifications of Instruments required X-ray Photoelectron Spectrometer (XPS)

S. No	Requirements/ Parts	Specification in detail		
1.	General	The XPS system should be able to perform analysis on		
		conducting/ semiconducting/ insulating/ magnetic solid		
		samples as well as soft materials such as polymers,		
		emulsion/gel and biological samples (in the frozen		
		condition) in the form of powder, thin film and bulk.		
		The system should be able to provide survey spectra, high		
		resolution spectra, depth profiling and angle-dependent XPS		
		analysis along with the access for mapping (elemental and		
		chemical states imaging).		
2.	Analysis Chamber	i. The analysis chamber must be made up of bakeable		
		UHV standard chamber with Mu-metal shielding.		
		Also the components inside the chamber should be		
		magnetically shielded to have no magnetic		
		interference.		
		ii. The chamber should have sufficient number of ports		
		to accommodate monochromatic X-ray source,		
		achromatic dual anode source, hemispherical energy		
		analyzer, UV - source for Ultraviolet Photoelectron		
		Spectroscopy (UPS), flood gun, sample introduction		
		port, sample manipulator, vacuum pumping system,		
		pressure measurement port, electron/ion source,		
		secondary electron detector etc.		
		iii. The analysis chamber must have suitable X-ray protected		
		lead-glass windows in order to view the samples directly.		
		iv. The chamber must have optical camera and/or		
		microscope to view the exact analysis position on		
		the samples.		
		v. Chamber must be sealed with appropriate UHV		

			compatible gaskets and have an entrance / load lock
			chamber which allows rapid introduction of samples
			into the main analysis chamber.
3.	Sample stage	i.	Sample stage must have software-controlled
	manipulator & Sample holder		minimum 4axes (movement in X, Y, Z & tilt) or
	Sumple notes		preferably with 5-axis (continuous rotation).
		ii.	The stage manipulator should hold sample holder of
			size ≥ 50 mm dia or an area ≥ 2400 mm ² . The stage
			should allow holding up to 12 mm thick/height sample.
		iii.	The stage should allow software controlled angle
		111.	dependent XPS measurement (0 to 80 degree or
			wider) at a resolution of ≤ 0.5 degree. While angle
			is being changed, the region of interest must remain
			the same.
		iv.	Sample holders (of size mentioned in (ii) for
			powder, thin film and thick sample must be provided
			(at least two for each type of sample).
		v.	Holder for angle-dependent measurement should
			also be provided.
4.	X-ray Source	i.	The system must have monochromatic Al Kα X-ray
			source
		ii.	The analysis area must be in the range of $\leq 30 \ \mu m$ to
			$\geq 300~\mu m$ and should have error-free positioning of
			the X-ray beam to allow small area XPS analysis.
		iii.	The monochromator having high resolution and
			sensitivity to carry out X-ray Photoelectron
			Spectroscopy.
		iv.	The ultimate XPS energy resolution from
			conducting as well as non-conducting sample must
			5F

			be at <0.50 eV (FWHM) measured on Ag 3d _{5/2} and
			< 0.85 eV for O-C-O component on polyester
			sample. The tenderer must specify how this
			requirement is met.
		1.	-
5.	Energy Analyser	i.	The electron energy analyser must be a 180 degree
			hemispherical analyser (HAS) with a mean radius of
			125 mm or more.
		ii.	The energy scan range should be at least 10 eV to
			above 1400 eV or wider.
		iii.	Minimum energy step size at different Pass Energies
		111.	
			must be specified.
		iv.	The analyser should be able to acquire XPS data
			with atleast 128 channels. Proof for detector
			channels should be attached.
		v.	Appropriate acquisition and analyzer control
			software with Windows OS.
6.	Vacuum Cyatam	i.	The lead leak showbon should be arrequeted by
0.	Vacuum System	1.	The load lock chamber should be evacuated by
			Turbo molecular pump (TMP) with backed oil-free
			scroll pump.
		ii.	The analysis chamber should be fitted with a
			titanium sublimation pump (TSP), TMP and oil-free
			scroll pump.
		iii.	Pumping speeds:
		•	TSP (better than 450 l/s, with N ₂)
			TMP (for load lock chamber better than 60 l/s, with
			N_2)
			TMP (for analysis chamber better than 250 l/s, with
			N_2)
		iv.	These pumps must provide a guaranteed pressure of
		14.	
			\leq 5 x 10 ⁻¹⁰ torr without the sample in the analysis

		chamber.
		 v. All the pumps and valves must be controlled from systems software with manual overriding options and all the pressure read outs should be supplied with suitable pressure gauges for both the chambers. vi. A set of safety features to protect the integrity of vacuum system, vacuum components and electronics
		in case of power failure has to be provided.
7.	Charge neutralization system	Robust charge neutralization mechanism for, especially for non-conducting samples using suitable ion or electron beam. Charge neutralization should be possible during depth profiling analysis. The capability of charge neutralization must be demonstrated on PET with FWHM < 0.85 eV for O=C-O
8.	Depth profiling	peak in C1s spectrum. The instrument must have the capability for efficient and
		effective depth profiling of inorganic and organic samples using monoatomic Ar ion sputter gun. The monoatomic Ar ion gun should provide ions with variable energy at least between 0 to \leq 5 keV.
9.	Sensitivity	 The minimum sensitivity must be demonstrated as follows: i. ≥3kcps on ≥ 20 μm analysis area at a resolution of ≤ 0.6 eV (for FWHM Ag 3d_{5/2}) ii. ≥2 Mcps on large analysis area at a resolution of ≤ 1 eV (for FWHM Ag 3d_{5/2})
10.	Standard samples	The standard samples of Ag, Au, Cu and PET should be provided for calibration.

complete XPS operation including operations changes manually. ii. System must have ability to be controval internet/network. iii. There must be at least two data process user licenses (or dongles) for XPS spethrough peak identification using the peak fitting. iv. The latest version software must be peak free update. The hardware should also the with latest window based system. v. XPS database/ library for different of materials including oxides and polynoprovided. 12. Computer Current generation PC (Intel Core i5/7) windows 7 or 10 OS, ≥ 8 GB RAM, ≥1 To capacity which supports the software and smoon of XPS.	otion to make		
ii. System must have ability to be contro via internet/network. iii. There must be at least two data proces user licenses (or dongles) for XPS spe through peak identification using the peak fitting. iv. The latest version software must be p free update. The hardware should also b with latest window based system. v. XPS database/ library for different of materials including oxides and polyn provided. 12. Computer Current generation PC (Intel Core i5/7) Windows 7 or 10 OS, ≥ 8 GB RAM, ≥1 The capacity which supports the software and smooth			
via internet/network. iii. There must be at least two data process user licenses (or dongles) for XPS spethrough peak identification using the peak fitting. iv. The latest version software must be perfere update. The hardware should also with latest window based system. v. XPS database/ library for different of materials including oxides and polynoprovided. 12. Computer Current generation PC (Intel Core i5/7) Windows 7 or 10 OS, ≥ 8 GB RAM, ≥1 To capacity which supports the software and smoothers.			
iii. There must be at least two data process user licenses (or dongles) for XPS specific through peak identification using the peak fitting. iv. The latest version software must be processed free update. The hardware should also be with latest window based system. v. XPS database/ library for different of materials including oxides and polynoprovided. 12. Computer Current generation PC (Intel Core i5/7) Windows 7 or 10 OS, ≥ 8 GB RAM, ≥1 To capacity which supports the software and smoothers.	olled remotely		
user licenses (or dongles) for XPS spethrough peak identification using the peak fitting. iv. The latest version software must be presented free update. The hardware should also be with latest window based system. v. XPS database/ library for different of materials including oxides and polynomyprovided. 12. Computer Current generation PC (Intel Core i5/7) Windows 7 or 10 OS, ≥ 8 GB RAM, ≥1 To capacity which supports the software and smoothers.			
through peak identification using the peak fitting. iv. The latest version software must be peak free update. The hardware should also be with latest window based system. v. XPS database/ library for different of materials including oxides and polynoprovided. 12. Computer Current generation PC (Intel Core i5/7) Windows 7 or 10 OS, ≥ 8 GB RAM, ≥1 To capacity which supports the software and smooth	ssing software		
peak fitting. iv. The latest version software must be present of the software should also be with latest window based system. v. XPS database/ library for different of materials including oxides and polynomials provided. 12. Computer Current generation PC (Intel Core i5/7) Windows 7 or 10 OS, ≥ 8 GB RAM, ≥1 To capacity which supports the software and smooth	ectra analysis		
iv. The latest version software must be provided. The latest version software must be provided. The hardware should also be with latest window based system. V. XPS database/ library for different of materials including oxides and polynomials provided. The latest version software must be provided also be with latest window based system. V. XPS database/ library for different of materials including oxides and polynomials provided. The latest version software must be provided also be with latest window based system. V. XPS database/ library for different of materials including oxides and polynomials provided. The latest version software must be provided also be with latest window based system. V. XPS database/ library for different of materials including oxides and polynomials provided. The latest version software should also be with latest window based system. V. XPS database/ library for different of materials including oxides and polynomials provided. The latest version software should also be with latest window based system. V. XPS database/ library for different of materials including oxides and polynomials provided. The latest version software should also be with latest window based system. V. XPS database/ library for different of materials including oxides and polynomials provided.	e library and		
free update. The hardware should also be with latest window based system. v. XPS database/ library for different of materials including oxides and polynoprovided. 12. Computer Current generation PC (Intel Core i5/7) Windows 7 or 10 OS, ≥ 8 GB RAM, ≥1 To capacity which supports the software and smooth			
with latest window based system. v. XPS database/ library for different of materials including oxides and polyn provided. 12. Computer Current generation PC (Intel Core i5/7) Windows 7 or 10 OS, ≥ 8 GB RAM, ≥1 To capacity which supports the software and smooth	provided with		
v. XPS database/ library for different of materials including oxides and polyn provided. 12. Computer Current generation PC (Intel Core i5/7) Windows 7 or 10 OS, ≥ 8 GB RAM, ≥1 To capacity which supports the software and smooth	be compatible		
materials including oxides and polyn provided. 12. Computer Current generation PC (Intel Core i5/7) Windows 7 or 10 OS, ≥ 8 GB RAM, ≥1 7 capacity which supports the software and smo			
provided. 12. Computer Current generation PC (Intel Core i5/7) Windows 7 or 10 OS, ≥ 8 GB RAM, ≥1 To capacity which supports the software and smooth	elements and		
12. Computer Current generation PC (Intel Core i5/7) Windows 7 or 10 OS, ≥ 8 GB RAM, ≥1 7 capacity which supports the software and smo	ners must be		
Windows 7 or 10 OS, ≥ 8 GB RAM, ≥1 To capacity which supports the software and smo			
capacity which supports the software and smo	with 64 bit,		
	ΓB Hard disk		
of XPS	capacity which supports the software and smooth operation		
of ALS.			
PC should have a monitor with≥ 24" TFT screen	een size along		
with a keyboard and mouse			
PC should have CD/DVD writer, Ethernet and	USB ports.		
ACCESSORIES			
13. Cooling and A branded cooling unit with pump and a con-			
Systems adequate capacity (as per the requirements of	-		
must be supplied to support the quoted system	with		
Safety interlock for cooling water			
Particle filter and flow rate meter	_		
14. Power backup Branded on-line UPS system to support al			
system for at least 2 hours with battery backups	S.		
OTHERS 15 Western to a Communication and an arrival of Three			
A Comprehensive warranty for a period of Three entire system with all the accessories should be i Tender.	-		

Tender document for supply of Xray Photoelectron Spectrometer (XPS) Central Instrumentation Facility, Pondicherry University

16.	Annual Maintenance Contract (AMC)	The cost of the Annual Maintenance Contract (AMC) for the period of two years after completion of the warranty period i.e. during 4 th and 5 th year of the instrument operation should be mentioned in the quotation
17.	Manpower	The vendor should provide a trained operator to operate and maintain the XPS system for a period of 4 years should be included in the Tender separately.
OPTIO	ONALS	
18.	Mapping (elemental/ chemical)	The system should provide elemental and chemical maps with a resolution of $\leq 20~\mu m.$
19.	Sample stage accessories	 i. The stage must have arrangement for resistive heating of samples (up to 700°C or more) and cooling (up to -40 °C or lower) with liquid N₂. ii. Sample holder suitable for heating and cooling studies.

ANNEXURE - I

BIDDER'S WARRANTY

The Re	gistrar, Pondicher	ry University	, Puducherry invited	Bid Document	for Supply
ofSophi	sticated Instrument	s at Central In	strumentation Facility, F	ondicherry Univ	versity
and M/a					
and M/s	•				
Therein	after referred to a	s "The Bidde	r" having carefully stud	died all the bid	documents,
Specific	ations, etc. accomp	anying the ter	nder for supply of the		(Name
of the I	nstrument) and des	sirous to subn	nit the bids as per the 7	Tender Documen	nt advertised
vide	Notification	-Tender	No. PU/DST-PURSE-I	I/CIF-Pur-XPS/2	2017-18/
dated					

DO HEREBY WARRANTY THAT

- 1. The bidder is familiar with all the requirements of the bid documents.
- 2. The bidder has investigated the site and satisfied, he regarding the character and scope of the work and local conditions that may affect the supply or it's Performance.
- 2. The bidder is satisfied that the supply can be performed and completed as required in the contract.
- 4. The bidder accepts all risk directly or indirectly connected with the performance of the contract.
- 5. The bidder has had no collusion with other contractors, with any of the men of Pondicherry University, Puducherry, or with any other person in preparation of the bid.
- 6. The bidder has not been influenced by any statement or promise of the Officials of Pondicherry University, Puducherry but only by the bid documents.
- 7. The bidder is financially solvent.
- 8. The bidder is experienced and competent to perform the contract to the satisfaction of the Co-ordinator, Central Instrumentation Facility, Pondicherry University, Puducherry.
- 9. The statements submitted with the bid are true.
- 10. The contractor is familiar with all general and special laws, acts, ordinances, rules and regulations of the Municipal, District, State and Central Government that may affect the work, its performance or personnel employed therein.
- 11. All the terms & conditions of the Supply Order will bind the bidder once his quote is accepted and supply order issued.

Signature of the Bidder ANNEXURE - II

BANK GUARANTEE

Pondicherry University Bharat RatanaDr. B R Ambedkar Administrative Building R Venkataraman Nagar Puducherry 605 014

This guarantee made this	day of	201_ by
Bank having its Registered Office	at	and one of its
Bank having its Registered Office branches at	(hereinafter referred	to as "the Guarantor"
which expression shall, unless it be repugnant	to the subject, meaning	or context thereof, be
deemed to mean and include its successors		
University, Puducherry 605 014 represented		
Venkataraman Nagar, Kalapet hereinafter ref		
shall include his successors in office for an ar		
only) at the re		
(more fully described hereunder)	•	
2. Whereas the University has placed v	work Order No: PU/	
dated for		with
dated for M/sat the "Contractor" which expression shall include		having its office
at	and her	reinafter referred to as
the "Contractor" which expression shall include	e their successors and ass	signs.
3. And whereas the Contractor has accept		
work order as per undertaking / agreement da	ted with	hin the time stipulated
and in the manner specified therein.		
	1 0	
4. And whereas the University has called	upon the Contractor to fu	arnish Bank Guarantee
for the sum of Rs. (Rupees		only)
for fulfilment of the said work as specified	in the work order and	as agreed to by the
Contractor.		
5. And whereas the Contractor has rec	augstad the Guerenter	harain to furnish an
irrevocable and unconditional Bank Guarantee		
Rs as guarantee towards execution		•
the University.	of the work as agreed t	to by the contractor to
the Offiversity.		
6. Now, therefore, we	Bank, the Guarant	tor herein, do hereby
irrevocably and unconditionally Guarantee t		
exceeding Rs (Rupees		
the event of any breach, failure, neglect or i		
execution of the said work, on demand withou		
without any prior consent of the Contractor, at		
the work, without demur, cavil or argument or	•	-

7. The Guarantor agrees and undertakes that the decision of the University as to whether the contractor has committed any breach of the obligation with respect to the wok to be

Tender document for supply of Xray Photoelectron Spectrometer (XPS) Central Instrumentation Facility, Pondicherry University

executed, and the quantum of amount therefore payable by the Contactor to the University in that regard, shall be final, binding and conclusive as against the Guarantor and the Guarantor shall make payment accordingly, on demand by the University.

The Guarantor further agrees and undertakes to pay to the University the amount

8.

demanded by the University irrespective of and not withstanding any dispute raised by the Contractor in any suit or proceeding before any judicial forum relating to the Contracted work and the Guarantor's liability under this Guarantee shall be absolute and unequivocal.
9. This Guarantee is issued subject to the condition that the liability of this Guarantor under this guarantee is limited to the maximum of Rs (Rupees only) and the guarantee shall
remain in full force up to and cannot be invoked otherwise than by a written demand or claim by the University for the payment of the said amount by the Guarantor on or before or any extended date as decided by the University.
10. This University shall have the fullest liberty without our consent and without affecting in any manner our obligations hereunder to vary any of the terms and conditions of the contracted work or to extend time for performance of the work by the Contractor. Any change to the contracted work shall not in any way release the Bank (Guarantor) from liability under this Guarantee and we waive notice of any such change. The University shall have full liberty to forbear or enforce any of the terms and conditions of the contracted work.
11. This Guarantee shall not be affected by any legal limitation, disability or other circumstances relating to the Contractor or the Guarantor.
12. This Guarantee shall be valid for the period upto and shall extend further and beyond for such period as determined by the University.
13. The Guarantor undertakes not to revoke this guarantee except with the previous consent of the University in writing.
14. Notwithstanding anything contained herein:
 Our liability under this guarantee shall be limited to Rs
 determined by the University for fulfilment of the contract. We are liable to pay the guaranteed amount or any part thereof under this Bank Guarantee only and only if you serve upon us a written claim or demand on or before or such extended period / date.
In witness whereof, this Guarantee has been executed by for an on behalf of the Bank (Guarantor) on the day, month and year first above written.
SIGNATURE AND SEAL

18

NAME OF THE BANK (GUARANTOR):

ADDRESS: