

PONDICHERRY UNIVERSITY
ENGINEERING WING

Er.N.SANKARAMOURTHY, B.E.,
EXECUTIVE ENGINEER

No.PU/EW/NIQ/2016-17/

Date: 17.11.2016

NOTICE INVITING QUOTATIONS

For and on behalf of Pondicherry University, Executive Engineer, Engineering wing, Pondicherry University invites sealed quotations from the eligible contractors for the work of “Providing galvalume roofing sheet with stage for fixing motor at terrace of the Department of Earth Science building to the exhaust blower system”. The rates should be filled in the schedule enclosed with this and placed in a sealed cover by superscribing the name of the work in the cover as mentioned above. An amount of Rs.1,650/- has to be furnished towards EMD which shall be in the form of demand draft from any one of the nationalized banks payable at Pondicherry, drawn in favour of the Finance officer, Pondicherry University. The notice with schedule can also be downloaded from the University web site www.pondiuni.edu.in and submitted

The filled in quotation shall to be placed in the tender box kept in the reception counter at Dr.B.R.Ambedhkar Administrative Block, Pondicherry University. The quotations will be received up to 3.00 p.m. on 28.11.2016 and will be opened at 3.30 p.m. on the same day in the presence of tenderers those who present at the time of opening.

The Executive Engineer, Engineering wing, Pondicherry University reserves the right to accept or reject any or all quotation without assigning any reason thereof.

EXECUTIVE ENGINEER

Encl: Schedule

PONDICHERRY UNIVERSITY
ENGINEERING WING

SCHEDULE OF WORK

Name of the work: Providing galvalume roofing sheet with stage for fixing motor at terrace of the Department of Earth Science building to the exhaust blower system

S.No.	Description	Qty.	Rate Rs.P.	Unit	Amount Rs.P.
1	Code No: 6.4.2				
	Brick work with FPS bricks of class designation 35 in superstructure above plinth level upto floor V level in all shapes and sizes in cement mortar 1:6 (1 cement : 6 coarse sand)	1		Cum	
2	Code No: 10.16.1				
	Steel work in built up tubular trusses including cutting, hoisting fixing in position and applying a priming coat of approved steel primer welded and bolted including special shaped washers etc. complete. Hot finished welded type tubes.	300		kg	
3	Code No: 10.19				
	Providing and fixing M.S. round holding down with nuts and washer plates completes.	10		kg	
4	Code No: MR				
	Additional labours charges for making the required curved shape pipe in the roof truss work (65mm).	13		Rmt	
5	Code No: 13.61.1				
	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade - Two or more coats on new work.	16		sqm	
6	Code No: 12.70				
	Providing and fixing colour coated	22		Sqm	

	galvalume sheet of 550 M.P.A yield of AZ 150 strength formed as per patterned steel rib profile with the depth of 31mm pitch of 250mm and overall width of 1060mm and thickness 0.5mm with required J or C hook bolts and nuts 8mm dia G.S paint and working etc., complete excluding the cost of purlin , rafter and truss etc.,				
7	Code No: 13.3.2				
	20mm cement plaster of mix cement mortar 1:6 (1 cement : 6 fine sand)	5		Sqm	
8	Code No: 13.46.1				
	Finishing walls with Acrylic Smooth exterior paint of required shade - New work (Two or more coat applied @ 1.67 ltr / 10 sqm over and including base coat of water proofing cement paint applied @ 2.20 kg / 10 sqm)	5		Sqm	
9	Code No:34.1.1				
	Providing two legged scaffolding using 15 cm diameter blue-gum posts or casurina posts or best quality bamboo posts of 4m over all length (3.0m heigh + 0.5m projection + 0.5 into the ground) the distance between the two rows being 1.25m and the spacing of posts with 0.5m overlap on either side and braces to step up and providing a platform with country wood planks of 40mm thick and 1m width etc in a complete form using coir and nails 1m run (Rate of scaffolding for a height of 3m and length of 1m)	15		Rmt	
10	Code No:34.1.2				
	Extra for providing two legged scaffolding for every additional	15		Rmt	

	height of 2.5m (Rate for scaffolding for a height of 3m and length of 1m)				
11	Code No: AR				
	Providing and fixing on wall face unplasticised rigid PVC rain water pipes conforming to IS : 13592 type A including jointing with seal ring conforming to IS : 5382 leaving 10mm gap for thermal expansion, (i) single socketed pipes. 200mm diameter.(Finolex pipe) 6kg/sqm.	15		mtr	
	Total				

Terms & Conditions:

- i) The rates specified are firm and not subject to any variation.
- ii) The work should be completed within 30 days.
- iii) Payment will be made only after completion of the entire work.
- iv) The material should be got approved before commencement of work.
- v) VAT @ 3.5% will be deducted from the bill.

Contractor

Executive Engineer