

Pondicherry University
Centre for Pollution Control and Environmental Engineering

Quotation Notice No CPEE/R-15/2014 of 13.10.2014

Sealed quotations are invited for the purchase of items related to **lab and field** work of this center, so as to reach the undersigned on or before 23.10.2014, 3 PM, for the items given in the attached list.

This notification is subject to the following terms and conditions:

- a) Your tenders must be sealed ones and **our reference and due date must be mentioned on the covers**. ATTACH PAMPHLETS OF THE QUOTED ITEMS WITHOUT FAIL. Quotations without full specifications and without the manufacturer's pamphlets of the quoted items WILL BE CONSIDERED INVALID.
- b) Prices quoted by you should clearly indicate all the taxes/duties applicable. For any item that qualifies for DGS&D rates or any other duty concessions applicable to governmental organizations or educational institutions, this fact must be indicated prominently and such concessional rates must be quoted along with the normal ones.
- c) Make sure that dates, rates etc are correctly put. Avoid overwriting. If in a rare case you have to make a correction, please do initial it (the initial must be by the same person who signs the tender response).
- d) Your responses must reach us by the due time. Please therefore ensure that you send them well in advance by speed post or reliable courier. Alternatively they should be delivered in person. **Late tenders shall not be accepted under any circumstances.**
- e) The items are to be delivered and installed at our premises by you with no extra cost. 100% payment would be done expeditiously as soon as the items are received in good condition and installed satisfactorily.
- f) All items must accompany a minimum of 1 year warranty (unless larger period is specified) and written commitment that any item if found unusable due to manufacturing defect or past shelf life during the warranty period shall be replaced at no extra cost.
- g) Price validity: The base price quoted by you should be valid against any upward revision for at least 90 days from the date of your quotation.
- h) For any clarification please contact undersigned on e-mail <abbasi.cpee@gmail.com>.

Puducherry
Date: 13.10.2014

Prof S. A. Abbasi
Head,
Centre for Pollution Control & Environmental Engineering
Pondicherry University
Kalapet, Pondicherry 605 014

Field work-based items list

	<i>Items</i>	<i>Please quote</i>
1.	HDP sheets (Silpaulin, at least 120 GSM thickness, 48 * 76 ft)	Per sheet
2.	HDP sheets (Silpaulin, at least 120 GSM thickness, 61 * 76 ft)	Per sheet
3.	HDP sheets (Silpaulin, at least 120 GSM thickness, 60 * 40 ft)	Per sheet
4.	HDP sheets (Silpaulin, at least 120 GSM thickness, 25 * 26.5 ft)	Per sheet