

PONDICHERRY UNIVERSITY
ENGINEERING WING

Er.N.SANKARAMOURTHY, B.E.,
EXECUTIVE ENGINEER

No.PU/EW/NIQ/2016-17/

Date: 29.11.2016

NOTICE INVITING QUOTATIONS (SECOND CALL)

For and on behalf of Pondicherry University, Executive Engineer, Engineering wing, Pondicherry University invites sealed quotations from the eligible contractors for the work of “Replacing the existing doors and windows shutter at Health Centre”. The rates should be filled in the schedule enclosed with this and placed in a sealed cover by superscribing the name of the work in the cover as mentioned above. An amount of Rs.1,900/- has to be furnished towards EMD which shall be in the form of demand draft from any one of the nationalized banks payable at Pondicherry, drawn in favour of the Finance officer, Pondicherry University. The notice with schedule can also be downloaded from the University web site www.pondiuni.edu.in and submitted

The filled in quotation shall to be placed in the tender box kept in the reception counter at Dr.B.R.Ambedhkar Administrative Block, Pondicherry University. The quotations will be received up to 3.00 p.m. on 12.12.2016 and will be opened at 3.30 p.m. on the same day in the presence of tenderers those who present at the time of opening.

The Executive Engineer, Engineering wing, Pondicherry University reserves the right to accept or reject any or all quotation without assigning any reason thereof.

EXECUTIVE ENGINEER

Encl: Schedule

PONDICHERY UNIVERSITY
ENGINEERING WING

SCHEDULE OF WORK

Name of the work: Replacing the existing doors and windows shutter at Health centre

S.No.	Description	Qty.	Rate Rs.P.	Unit	Amount Rs.P.
1 15.12. 1	Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 m lead – Of area 3 sq. metres and below.	4		Each	
2 9.1.2P	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position - Padak wood	0.22		Cum	
3 11.36 A	Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS : 15622 (thickness to be specified by the manufacture of approved make (Jhonson / Asian / Somany / Nitco) in all colours, shades of size 200 x 300 mm as approved in skirting, risers of steps and dados over 12mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3 kg per sqm Including pointing in white cement mixed with pigment of matching shade complete. - size 200x300mm	8.50		Sqm	
4 9.20.1	Providing and fixing ISI marked flush door shutters conforming to IS:2202 (Part 1) decorative type, core of block board construction with frame of 1 st class hard wood and well matched teak 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters. 35mm thick including ISI marked stainless steel butt hinges with necessary screws.	5.04		Sqm	
5 9.23	Extra for providing lipping with teak wood sqm battens 25mm minimum depth on all edges of area shutters (over all area of door shutter to be measured) over item no.9.20 and 9.21	5.04		Sqm	
6 9.9.1.2	Providing and fixing glazed shutters for doors, windows and clerestory windows using 4mm	7.20		Sqm	

P	thick float glass panes including black enamelled ISI marked MS butt hinges with necessary screws. - Padak teak wood -30mm thick				
7 13.50. 1	Applying priming coat - with ready mixed pink or grey primer of approved brand and manufacture on wood work (hard and soft wood).	23.50		Sqm	
8 13.61. 1	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade - Two or more coats on new work.	23.50		Sqm	
9 9.84	Providing and fixing IS:3564 make aluminium extruded section body tubular type universal hydraulic door closer with double speed adjustment with necessary accessories and screws etc. complete	2		Each	
10 9.96.1	Providing and fixing aluminium sliding door bolts ISI marked anodised (anodic coating not less than grade AC 10 as per IS:1868) transparent or dyed to required colour or shade with nuts and screws etc.complete:-300x16mm	2		Each	
11 9.97.1	Providing and fixing aluminium tower bolts ISI marked anodized (anodic coating not less than grade AC 10 as per IS:1868) transparent or dyed to required colour or shade with necessary screws etc., complete – 300x10mm	2		Each	
12 9.100. 1	Providing and fixing aluminium handles ISI marked anodised (anodic coating not less than grade AC 10 as per IS:1868) transparent or dyed to required colour or shade with necessary screws etc. complete :-125mm	4		Each	
13 9.101. 2	Providing and fixing aluminium hanging floor door stopper ISI marked anodized (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour and shade with necessary screws etc.complete - Twin rubber stopper	2		Each	
14 2.35.5	Diluting and injecting chemical emulsion for POST-CONSTRUCTION anti-termite treatment (excluding the cost of chemical emulsion): Treatment at points of contact of wood work by chemical emulsion Chlorpyrifos / Lindane (in oil or kerosene based solution) @ 0.5 litres per hole by drilling 6mm dia holes at downward angle of	33.50		metre	

	45 degree at 150 mm centre to centre and sealing the same.				
15 2.34.1	Supplying chemical emulsion in sealed containers including delivery as specified - Chlorpyrifos / Lindane emulsifiable concentrate of 20%.	3		litres	
16 13.1.2	12mm cement plaster of mix :Cement mortar 1:6 (1 cement : 6 fine sand)	2		sqm	
17 13.41. 1	Distemping with oil bound washable distemper of approved brand and manufacture to give an even shade - New work (two or more coats) over and including priming coat with cement primer.	3.50		sqm	
	Total				

Terms & Conditions:

- i) The rates specified are firm and not subject to any variation.
- ii) The work should be completed within 30 days.
- iii) Payment will be made only after completion of the entire work.
- iv) The material should be got approved before commencement of work.
- v) VAT @ 3.5% will be deducted from the bill.

Contractor

Executive Engineer