

PONDICHERRY UNIVERSITY

(A Central University) (www.pondiuni.edu.in) Kalapet, R.V. Nagar, Puducherry – 605 014

TENDER INVITING NOTICE

For and on behalf of Pondicherry University, the Registrar(i/c), Pondicherry University invites sealed tenders from the reputed firms for supply of the following :

Sl.	Name of the Item	Tender	EMD
No.		Doc. Fee	
1	Blade Server		` 20,000/-
2	SAN Storage		for all the
3	Desktops		items or part.
4	Tablet Computer/iPad		-
5	Network Flat Bed Scanner	` 100/-	
6	Laser Multifunction Printer		` 1,000/-
7	PoE Smart Network Switch		for UPS
8	External Storage		Only
9	Online UPS (5.0 KVA)		

The tender forms and other details may be downloaded from the website www.pondiuni.edu.in. The last date and time for receipt of tenders is 13.04.2015 at 3.00 pm.

REGISTRAR(i/c)

Tender Document PONDICHERRY UNIVERSITY

(A Central University)

(R.V.NAGAR, KALAPET, PUDUCHERRY - 605 014)

SCHEDULE OF TERMS & CONDITIONS

Sub: Supply of Blade Server, SAN Storage, Desktops, Flat Bed Scanner, Laser Printer, UPS etc. - Reg.

—o—

Schedule of Requirements

Sealed tenders are invited for Supply of Blade Server, SAN Storage, Desktop, Tablet PC/iPad, Flat Bed Scanner, Laser Printer, online UPS, etc to Ananda Rangapillai Library, Pondicherry University, as per the technical details and specifications given below: -

Specifications of Equipments	Qty.
1. Blade Server (Dell Blade Server Equivalent) for 6/10/16 Blade Chassis - Intel	1
Performance Xeon Configuration	
Specifications:	
a. CPU : E5-2665, 2.4 GHz,1333/1066/800 DDR3 Only(MHz),20 MBSmartCache,	
6.4 GT/s,8 Core,115 Watts or better.	
b. Memory : 16 GB PC2-5300 Fully Buffered DIMMs at 667 MHz, scalableto 128 GB or	
c. Hard Disk Drive : 2 x 300 GB 10K rpm SFF SAS Hot Plug or higher	
d. Hard Disk Controller : SAS based supporting RAID 0/1	
e. Multifunction ports : Min. 2 Gigabit Ports	
f. Fiber channel ports : Min. 2 Ports 4 Gb/s	
g. Management : OS Independent hardware health status	
h. Keyboard : Virtual KVM based remote Control	
i. Power Management : Remote Power Control equivalent	
h. Compatibility : Should be compatible with the existing Dell Blade Server Chassis.	
j. Warranty : Minimum 3 (Three) Years On-site comprehensive warranty.	
2. <u>SAN STORAGE</u>	1
Specifications:	
a. SAN Storage Model : Dual Controller iSCSI host based SAN array.	
b.Spindle Flexibility :The SAN should support intermixing of 6Gbps SAS, NL-SAS in a	
single enclosure. The SAN should have option for 6 Gbps SAS, NL-SAS/SATA and should	
support SSD drives. The hard drive should support Self Encrypting drive. The SAN should	
support 10K, 15K and 7.2 RPM drives and SSD drives.	
c.SAN Architecture : The storage system should support minimum 8 front end ports of 1	
Gb iSCSI across dual controller.	
d.SAN Features :Array should support snapshot and clone feature. Snapshot functionality	
should support snapshot rollback, snapshot reschedule also. The SAN should support	
replication. Should support minimum 16 hosts and license for minimum 16 hosts should be	
provided. Should be supplied with thin provisioning license for complete capacity. Should	
support minimum 512 luns.SAN should support cloning/disk copy. Desirable :Should	
support VAAI, VASA API for Vmware to integrate within virtual environment. Also	
should be supplied with vCenter plugin.	
e.Storage capacity :Should be supplied with 4 TB Usable Capacity on RAID 5 with 7.2K	
RPM NL-SAS HDD's.	
f.Storage scalability : The SAN should be scalable upto12 TB.	
g.Cache :4 GB cache across dual controller. Cache should be mirrored between the	
controllers. Must support either Cache battery backup for a minimum of 72 hours during	
power failure to prevent possible data loss or cache de staging to disk.	
h.Multipathing : Multipathing software license for 10 Windows/Linux machine should be	
provided or native MPIO support.	
i.OS Support : Industry leading Operating System platforms including: Windows Server®	
2003, Windows Server® 2008, Linux, Vmware, Hyper-V, Xenetc	
j.RAID level support :0, 1, 5, 6, 10	

interface.Management software should l.Controller software and Non-Disrupt functionality improvement and enhance m. Compatibility : Should be compa	ive Upgrade :Firmware should be upgradeable for cements. Must support non-disruptive upgrade. atible with the existing Dell Blade Server System. ears On-site comprehensive warranty. Vendor	
3. Intel core i7 Desktop	(No. of desktops required are subject to change)	7
a. CPU : Intel Core i7-2600, 3.4 GHz, b. Chipset : Intel Q67 Express or highe c. Bus Architecture : 4 PCI (PCI/ PCI d. Memory : 2 GB 1066 MHz DDR3 F e. Hard Disk Drive : 320 GB 7200 rpm f. Monitor : 47 cm (18.5 inch)larger L1 g. Keyboard : 104 keys . h. Mouse : Optical with USB interface i. Bays : 3 Nos. or above. j. Ports : 6 USB Ports (with at least 2 i for microphone and headphone in from k. Cabinet : Small form factor (Max. 1 l. DVD ROM Drive : 8X or better DV m. Networking facility : 10/100/1000 of n. Operating System :Linux o. OS Certifications : Windows 7 OS a p. Power Management : Screen Blanki Power On, Set up Password, Power su	8 MB Cache or better. er on OEM Motherboard. Express) RAM with 8 GB Expandability. n Serial ATA HDD or higher. ED/ TFT Digital Colour MonitorTCO- 05 certified. e. n front), audio ports tt. 6 Litres). D ROM Drive. on board integrated Network Port and Linux certification. ing, Hard Disk and System Idle Mode in pply SMPS Surgeprotected.	,
q. Warranty :Minimum 3 (Three) Y	ears On-site comprehensive warranty	
technology, Fingerprint-resistant, Scra e. Resolution :2048x1536 resolution at f. Camera : Front VGA and Rear 5 M g. Connectivity :Wi-Fi(802.11a/b/g/n) Bluetooth 4.0, GSM/EDGE, UMTS/H 2100 MHz); CDMA EV-DO Rev. A a h. GPS : yes i. Sensors :Gyroscope, Accelerometer j. Keyboard : Virtual on screen k. Operating System : Latest Version of higher/IOS 7 or Higher/Windows 8 or l. Power Supply : 230V, 50 Hz AC Su rechargeable battery pack/battery suita	Aquivalent) Configuration: (higher)internal memory her, LED-backlit Multi-Touch display with IPS tch-resistant glass,oleophobic coating t 264 pixels per inch (ppi) or higher ega Pixel or better ; dual channel (2.4GHz and 5GHz) and MIMO, SPA/HSPA+/DC-HSDPA (850, 900, 1900, nd Rev. B (800, 1900 MHz), LTE and Ambient light sensor. of suitable Tablet OS(Android Kit Kat or Higher/Any other suitable Tablet OS} pply. Suitable charger shall be supplied, Built- in able for min. 8 hrs operation with full HD video via power adapter or USB to Computer System no SIM and details of applications	1
	ears On-site comprehensive warranty.	
5. <u>Network Flatbed Scanner</u>		1
Specifications: a. Scanner type:Flatbed, ADF		

a. Scanner type:Flatbed, ADF b. Scan resolution, optical :Up to 2400 dpi or better

c. Scan Area Size : minimum 216 mm x 292 mm	
d. ADF capacity :Standard, 50 sheets or better	
e. ADF scan speed :Up to 15 ppm/6 ipm (b&w, gray, 200 dpi) or better	
f. Duplex : Duplex scanning	
e. Networking : Integrated networking	
g. Connectivity :High Speed USB	
h. Warranty :Minimum 1 (One) Year On-site comprehensive warranty.	
6. Laserjet Multi Function (Print, Scan, Copy) Printer	1
Specifications:	
a.Print Speed : Black 14 ppm-A4 print and copy or better b. Function : Black & White Printing, B/w Copying and B/w & Color Scanning.	
c. Resolution : 600 x 600 dpi or better	
d. Memory : 32 MB or better	
e. Media Size Supported : A4	
f. Scanner Type : Flat Bed	
g. Scanner Resolution : Optical upto 1200 dpi or better	
h. Tray :150-sheet input tray+10-sheet priority feed or better	
i. Connectivity : High Speed USB	
j. Warranty : Minimum 1 (One) Year On-site comprehensive warranty.	
7. PoE Smart Network Switch with Gigabit Ports (DLinkDES-1210-28PEquivalent)	1
Specifications:	1
a. Type :Smart	
b. Ports :2410/100Base-TX Ethernet ports with at least 4 POE ports, 2 ports with 10/100/100	
BASE-T, and 2 Combo 10/100/1000BASE-T/SFP or more	
c. VLAN Support : Yes	
d.Loop Back Deduction : Yes e. Accessories :Rubber Footpads, Power Cord, Rack-mount Kit, Smart Switch Resource	
CD Installation Guide	
f. Operating System :Windows	
g. Hardware Memory : Buffer Memory - 512 MB or better.	
h. Supported Protocols : IEEE 802.3, IEEE 802.3u, IEEE 802.3ab, IEEE 802.3z,	
IEEE 802.3x	
i. LEDs :Per Port: Link/Activity, Speed, Per Device: Power, Fan, Per PoE Port: PoE Power,	
PoE Fault	
j. Mount Type : Rack Mount k. Support :Minimum 3 (Three) Years comprehensive warranty.	
8. External Storage	
a. Capacity : 1 TB or more	2
b. Connectivity : High Speed	
c. Features : USB Powered, Easy Plug-and-Play Backups	
d. Form Factor: Portable	
e. OS Supported : Windows: XP SP3, 7, 8	
e. OS Supported : Windows: XP SP3, 7, 8 f. Support :Minimum 3 (Three) Years comprehensive warranty.	1
 e. OS Supported : Windows: XP SP3, 7, 8 f. Support :Minimum 3 (Three) Years comprehensive warranty. 9. On-Line UPS (5.0 KVA) 	1
e. OS Supported : Windows: XP SP3, 7, 8 f. Support :Minimum 3 (Three) Years comprehensive warranty.	1
 e. OS Supported : Windows: XP SP3, 7, 8 f. Support :Minimum 3 (Three) Years comprehensive warranty. 9. On-Line UPS (5.0 KVA) a. General :On-Line UPS with isolation transformer suitable for single phase AC input & 	1
 e. OS Supported : Windows: XP SP3, 7, 8 f. Support :Minimum 3 (Three) Years comprehensive warranty. 9. On-Line UPS (5.0 KVA) a. General :On-Line UPS with isolation transformer suitable for single phase AC input & single phase AC output, Floor Mounted Type. b. Rating of UPS : 5.0 KVA c. Indicative Back-up time: 30 Minutes 	1
 e. OS Supported : Windows: XP SP3, 7, 8 f. Support :Minimum 3 (Three) Years comprehensive warranty. 9. On-Line UPS (5.0 KVA) a. General :On-Line UPS with isolation transformer suitable for single phase AC input & single phase AC output, Floor Mounted Type. b. Rating of UPS : 5.0 KVA c. Indicative Back-up time: 30 Minutes d. Technical Specifications : 	1
 e. OS Supported : Windows: XP SP3, 7, 8 f. Support :Minimum 3 (Three) Years comprehensive warranty. 9. On-Line UPS (5.0 KVA) a. General :On-Line UPS with isolation transformer suitable for single phase AC input & single phase AC output, Floor Mounted Type. b. Rating of UPS : 5.0 KVA c. Indicative Back-up time: 30 Minutes d. Technical Specifications : i) UPS Enclosure's Degree of Protection shall be IP2L1 as per apendix C of 	1
 e. OS Supported : Windows: XP SP3, 7, 8 f. Support :Minimum 3 (Three) Years comprehensive warranty. 9. On-Line UPS (5.0 KVA) a. General :On-Line UPS with isolation transformer suitable for single phase AC input & single phase AC output, Floor Mounted Type. b. Rating of UPS : 5.0 KVA c. Indicative Back-up time: 30 Minutes d. Technical Specifications : i) UPS Enclosure's Degree of Protection shall be IP2L1 as per apendix C of IS13947(part 1)/1993 (reaffirmed 2004). 	1
 e. OS Supported : Windows: XP SP3, 7, 8 f. Support :Minimum 3 (Three) Years comprehensive warranty. 9. On-Line UPS (5.0 KVA) a. General :On-Line UPS with isolation transformer suitable for single phase AC input & single phase AC output, Floor Mounted Type. b. Rating of UPS : 5.0 KVA c. Indicative Back-up time: 30 Minutes d. Technical Specifications : i) UPS Enclosure's Degree of Protection shall be IP2L1 as per apendix C of IS13947(part 1)/1993 (reaffirmed 2004). ii) Manual by-pass facility shall be provided for maintenance of UPS. 	1
 e. OS Supported : Windows: XP SP3, 7, 8 f. Support :Minimum 3 (Three) Years comprehensive warranty. 9. On-Line UPS (5.0 KVA) a. General :On-Line UPS with isolation transformer suitable for single phase AC input & single phase AC output, Floor Mounted Type. b. Rating of UPS : 5.0 KVA c. Indicative Back-up time: 30 Minutes d. Technical Specifications : i) UPS Enclosure's Degree of Protection shall be IP2L1 as per apendix C of IS13947(part 1)/1993 (reaffirmed 2004). ii) Manual by-pass facility shall be provided for maintenance of UPS. iii) UPS shall supply output power and charging current at the same time. 	1
 e. OS Supported : Windows: XP SP3, 7, 8 f. Support :Minimum 3 (Three) Years comprehensive warranty. 9. On-Line UPS (5.0 KVA) a. General :On-Line UPS with isolation transformer suitable for single phase AC input & single phase AC output, Floor Mounted Type. b. Rating of UPS : 5.0 KVA c. Indicative Back-up time: 30 Minutes d. Technical Specifications : i) UPS Enclosure's Degree of Protection shall be IP2L1 as per apendix C of IS13947(part 1)/1993 (reaffirmed 2004). ii) Manual by-pass facility shall be provided for maintenance of UPS. iii) UPS shall supply output power and charging current at the same time. iv) Switching device shall be MOSFET or IGBT 	1
 e. OS Supported : Windows: XP SP3, 7, 8 f. Support :Minimum 3 (Three) Years comprehensive warranty. 9. On-Line UPS (5.0 KVA) a. General :On-Line UPS with isolation transformer suitable for single phase AC input & single phase AC output, Floor Mounted Type. b. Rating of UPS : 5.0 KVA c. Indicative Back-up time: 30 Minutes d. Technical Specifications : i) UPS Enclosure's Degree of Protection shall be IP2L1 as per apendix C of IS13947(part 1)/1993 (reaffirmed 2004). ii) Manual by-pass facility shall be provided for maintenance of UPS. iii) UPS shall supply output power and charging current at the same time. iv) Switching device shall be MOSFET or IGBT v) Switching frequency shall be above 10 KHz and shall be declared in the offer. 	1
 e. OS Supported : Windows: XP SP3, 7, 8 f. Support :Minimum 3 (Three) Years comprehensive warranty. 9. On-Line UPS (5.0 KVA) a. General :On-Line UPS with isolation transformer suitable for single phase AC input & single phase AC output, Floor Mounted Type. b. Rating of UPS : 5.0 KVA c. Indicative Back-up time: 30 Minutes d. Technical Specifications : i) UPS Enclosure's Degree of Protection shall be IP2L1 as per apendix C of IS13947(part 1)/1993 (reaffirmed 2004). ii) Manual by-pass facility shall be provided for maintenance of UPS. iii) UPS shall supply output power and charging current at the same time. iv) Switching device shall be MOSFET or IGBT 	1

Voltage regulation from no load to full load shall be within +/-1%. UPS shall
also have facility for operation in synchronous mode inwhich output frequency
shall be same as that of mains frequency.
ix) Total harmonics distortion at output : 2% maximum for
x) Efficiency - Overall efficiency (minimum) : 90%
xi) UPS input power factor at rated load : better than 0.90 lagging at input side .
xii) Over load : UPS shall withstand 20% overload for 10 minutes and 50% over
load for one minute.
xiii) Protections :Following protection shall be provided in UPS:
- Over voltage, short circuit, and overload at UPS output terminal.
- Under voltage at battery terminal.
- Over shoot and under shoot shall not be greater than 4% of rated voltage for
duration of 40m sec. (maximum)
xiv) Indicators and meters - Following indicators shall be provided: Mains presence,
Battery charging and discharging, Output overload, Low battery voltage.
Digital meter shall be provided for monitoring Input AC voltage, Output AC
Voltage, current and frequency, Battery voltage and current.
xv) Battery bank: UPS shall be supplied with SMF VRLA battery type tested from
Govt. lab as perJISC:8702 only.
e. Warranty :Minimum 1 (One) Year On-site comprehensive warranty.

Eligibility Criteria

(The bidder must have the requisite domain expertise with regard to supply of the items they are quoting.)

- 1) The item quoted should be from reputed firms. The brand name of the item should also be quoted.
- 2) The bidder must have an experience of minimum 5 years in the field.
- 3) The bidders quoting for Blade Server and SAN Storage must have supplied the Blade Server and SAN Storage to atleast five institutes/firms in India. Copy of the supply order from the respective institutes/firms should be enclosed. The institute reserves the right to enquire about the authenticity of information provided.
- 4) Bidder should have local support in Pondicherry/Chennai/Bangalore/Hyderabad.
- 5) The rates should be quoted strictly as per the specifications defined in the tender document.
- 6) The items quoted by the bidder should carry three/one year(s) warranty as mentioned in the specifications. In addition the bidder should also quote the percentage of comprehensive AMC charges for additional two years.
- 7) The rate quoted should be valid for atleast 90 days from the date of closing of tender.
- 8) The bidders quoting for **a**) **all the items or part must provide** 20,000/- and **b**) **only UPS must provide** 1,000/- as Earnest Money Deposit in the form of Demand Draft in favour of the Finance Officer, Pondicherry University, Payable at Pondicherry.
- 9) The bidder details (Annexure-I) and declaration on part of bidder (Annexure II) about the bidder and, terms and conditions of the tender should be submitted.
- 10) Necessary documents/certificates/brochures/leaflets in support of the eligibility criteria should be attached with the bid.
- 11) Demand Drafts for the i) Tender Document Fee & ii) EMD should be placed in a separate cover along with the bid.

GENERAL TERMS AND CONDITIONS

I. General Information: -

- 1. Last date and time of receipt of the Tenders: 13.04.2015, 3.00 PM
- 2. Date & Time of opening of Tender: 13.04.2015, 3.30 PM
- 3. In the event of the date specified for bid receipt and opening being declared as a Closed holiday for purchaser's office, the due date for submission of bids and Opening of bids will be the following working day at the appointed times.
- 4. Tender Document fee and EMD rates: -

 Tender Document Fee: `100/

 E.M.D.
 : `20,000/- for all the items or part and `1,000/-only for UPS (Demand Draft in favour of the Finance Officer, Pondicherry University Payable at Puducherry)

- 5. The Demand Drafts drawn in favour of "The Finance Officer", Pondicherry University payable at Puducherry for Tender Document Fee and EMD should be submitted in a separate cover super-scribing **Bank Demand Draft** and which should be enclosed with the bid.
- 6. The Photo Copies of the Bank Instruments on payment of Tender Document Fee and EMD should be attached with the bidding cover.
- 7. Quoting merely the lowest price does not confer any right to any bidder for award of supply order. The University's Purchase Committee, reserves the right to select any bid under the grounds of specification compliance, technologically advanced quality, proven performance track record, brand reputation, service backup support, additional warranty, offer of additional / special features, Compatibility with the existing System, Training, etc.
- 8. The tender should be addressed to the Registrar(i/c), Pondicherry University.

The examples for super-scribing the envelope of tender is given below: -

Tender submitted for Supply of Blade Server, SAN Storage, UPS etc.to Ananda Rangapillai Library				
То				
	The Registrar(i/c),			
	Pondicherry University,			
	R.V. Nagar, Kalapet,			
	Puducherry – 605 014.			
From				
Supplier's Address				

In case of local delivery, all tenders are to be dropped in the tender box placed at the Information Facilitation Counter, Bharat Ratna Dr.B.R.Ambedkar Administrative Block, Pondicherry University, R.V. Nagar, Kalapet, Puducherry – 605 014 (or) in the Purchase & Stores Section. Those who submit their tenders by post shall send the same before the prescribed deadline to the Registrar(i/c), Pondicherry University, R.V. Nagar, Kalapet, Puducherry – 605 014.

The tenders sent through fax / e-mail will not be accepted.

II. Common Conditions (Import or Indigenous Equipments)

1. Purchase of Tender Document:

The Tender document can be either downloaded from the University website **www.pondiuni.edu.in** or procured from the Information Facilitation Counter, Dr.Ambedkar Administrative Block, Pondicherry University on payment of fee as specified above, by means of a D.D, drawn in favor of the **Finance Officer, Pondicherry University, payable at Puducherry**. The downloaded application should be accompanied with the tender document fee, in the form of a Demand Draft.

2. Price Schedule

The rates should be quoted for a single unit and also for the total quantity required by the University.

The prices quoted shall remain firm until the items are supplied to the Ananda Rangapillai Library, Pondicherry University.

Specifications of the consumable items given in these documents are the minimum requirement. The bidder may offer items with higher specifications. However, no price advantage for such specifications shall be given.

The quantity shown against each item is approximate and may vary as per demand of the department at the time of placing order.

Evaluation and Comparison of Bids:- Bids will be evaluated on the basis of single item.

3. Quoting the Core price & Tax, Duties, Discount etc.

The taxes / duties / discounts, if applicable, are to be explicitly and separately shown in the bid. The items quoted by the bidder should be FOR destination basis and should include taxes, handling charges, freight, etc.

4. Duty Exemption

The University has been granted the benefit of exemption from the payment of the Central Excise Duty and Customs Duty by the Department of Scientific and Industrial Research (DSIR), India, vide their Notification No.10/97 dt. 01-03-1997 and 51/96 dt. 23.07.96 respectively, **in respect of**

- a. Scientific and technical instruments, apparatus, equipment including computers.
- b. Accessories and spare parts of goods specified in (a) above and consumables.
- c. Computer software, compact disks, CD ROM, Recording magnetic tapes, microfilms, micro-chips etc.
- d. Prototypes.

Customs duties at Indian port, if any, will be to the account of the University.

5. Warranty:

The items covered under this tender, when purchase, shall be warranted for the quality, workmanship, trouble free operation and performance for a period of **at least 36/12 months from the date of supply of the items into operation** at the Pondicherry University. If any item covered under warranty fails, the same shall be replaced free of cost including all the applicable charges including shipping cost both ways.

(A signed Bidder's Warranty as per Annexure – IV has to be submitted along with the Bid Document)

- 6. The validity of the each quotation should be at least 90 days from closing date of the bid.
- 7. The offers will not be considered if received after the bid closing date and time.
- 8. The offers received through telex / tele-fax / e-mail will not be accepted by the University under any circumstances.
- 9. The University shall not be responsible for any delay / loss or non-receipt of tenders by post / courier service.
- 10. No unsolicited correspondence shall be entertained after the submission of the offer.
- 11. If an order is placed with the firm, the purchase shall be governed by an agreement as per the University rules in force at the time.
- 12. Additional terms and conditions will be incorporated in the purchase order, if needed, to safe guard the interests of the University.
- 13. Tender is not transferable.
- 14. In case of any dispute in respect of the tender, all legal matters shall be instituted within the jurisdiction of the place where the purchaser ordinarily resides.

15. Power to reject the offer:

Pondicherry University reserves the right to accept / reject any offer in full or in part or accept any offer other than the lowest offer without assigning any reason thereof. Any offer containing incorrect and incomplete information shall be liable for rejection.

- 16. No Agency commission will be paid to any authorized agent in India.
- 17. All the terms and conditions for the supply, testing and acceptance, payment terms etc. will be as those mentioned herein and no change in the terms and conditions by the bidders will be acceptable.
- 18. Liquidated damages: Timely supply of the ordered items is the essence of the contract. In case of failure to supply within the time specified in the Purchase order, a penalty/LD of 0.5% of the total value per week or a part thereof shall be levied subject to a maximum of 7.5% in respect of items which are not supplied. The decision of Pondicherry University shall be final in this regard.

19. For any clarification with respect to technical specifications, please contact the University Librarian as per the details given below: -

S. No.	Name of the Department	Name of the Head	Contact Numbers
1.	Ananda Rangapillai Library	Dr. R. Samyuktha	0413-2655213
			0413-2654205

20. Payment of EMD:

The Tender must be accompanied by EMD as stated above, by means of a Demand Draft, drawn in favour of **the Finance Officer**, **Pondicherry University**, **payable at Puducherry** separately. The amount is refundable after one month from the date of closing date of Tender for non-successful bidder and two months from the date of satisfactory installation and testing for successful bidder. The Small Scale units are exempted from payment of EMD provided they should enclose proof of their exemption Certificate issued by the competent authority.

21. Payments terms:

Out of total contract/ purchase price, 90% of the amount will be paid on supply of the items and satisfactory installation and testing. Balance of 10% of the amount shall be retained as Security Deposit, towards satisfactory performance, and which may be released on submission of a **performance bond supported by a Bank Guarantee** (format enclosed in Annexure – III) (**obtained from Nationalized Bank of India**) for the 10% of the total contract/ purchase value, for the duration of the Warranty period.

Date: __/__/___**

REGISTRAR(i/c)

**Date of Publication

ANNEXURE - I

Tender for Supply of SAN Storage, etc.

DETAILS OF BIDDER

S. No.	Required Details	
1.	Name of the Bidder	
2.	Address of the Bidder	
3.	Contact No.	
4.	Fax No.	
5.	Mobile No.	
6.	Email	
7.	Name of Authorized Signatory	
8.	Sales Tax/ CST No.	
9.	Income Tax No. / PAN/ GIR No.	
10.	Year of Establishment	
11.	Name and address of Banker	
12.	Name and Address of the library where SAN Storage was supplied with contact person details of the firm	Use Separate Sheet if necessary.
13.	EMD Details	
	Amount	
	DD No and Date	
	Name of the Bank	
14.	Tender Document Fee Details	
	(if bid document is downloaded)	
	Amount	
	D.D No. and Date	
15.	Name of the Bank	
15.	Whether OEM or authorized distributor. In case of distributor please attach authorization	
	certificate.	
16		
16.	Whether all items quoted are certified by ISO or its authorized agencies?	
17.	Brand of the hardware quoted	
19.	Item(s) quoted in the Tender	

Signature of the Tendered with stamp and date

ANNEXURE - II

DECLARATION

1. I,					
Son/Daughter of	f S	hri			
Proprietor/Partner/L	Director	r/	Authorized	Signatory	of
			competent to	sign this declaration an	d execute

this tender document;

2. I have carefully read and understood all the terms and conditions of the tender and hereby convey my acceptance of the same.

3. The information / documents furnished along with above declaration are true and authentic to the best of my knowledge and belief. I/we, am / are well aware of the fact that furnishing of any vague / false information / fabricated document would lead to rejection of my tender at any stage besides liabilities towards prosecution under appropriate law.

Signature of authorized person

Full Name:_____

Company's Seal:_____

N.B.: The above declaration, duly signed and sealed by the authorized signatory of the agency in token of their acceptance, should be enclosed with the Bid.

BANK GUARANTEE

Pondicherry University Bharat Ratana Dr. B R Ambedkar Administrative Building R Venkataraman Nagar Puducherry 605 014

This guarantee made this	day of	2015 by
Bank having its Registered Office	at	and one of its
branches at	(hereir	nafter referred to as "the
Guarantor" which expression shall, unless it be	e repugnant to the sub	ject, meaning or context
thereof, be deemed to mean and include its	s successors and ass	signs) in favour of the
Pondicherry University, Puducherry 605 014 re	presented by its Regis	strar, having his office at
R. Venkataraman Nagar, Kalapet hereinaf	ter referred to as t	he "University" which
expression shall include his successors in office	e for an amount not ex	ceeding Rs
(Rupees	only) at	the request of
M/s	(more fully d	lescribed hereunder)

Whereas the University has placed Work Order No: PU/_____ 2. dated_____ for_____

with M/s._____ having its office at and hereinafter referred to as the "Contractor" which expression shall include their successors

and assigns.

And whereas the Contractor has accepted and agreed to execute the work as per the 3. work order as per undertaking / agreement dated ______ within the time stipulated and in the manner specified therein.

And whereas the University has called upon the Contractor to furnish Bank 4. Guarantee for the sum of Rs._____ (Rupees___ only) for fulfillment of the said work as specified in the work order and as

agreed to by the Contractor.

5. And whereas the Contractor has requested the Guarantor herein to furnish an irrevocable and unconditional Bank Guarantee in favour of the University for an amount of Rs.______ as guarantee towards execution of the work as agreed to by the contractor to the University.

Now, therefore, we _____ Bank, the Guarantor herein, do hereby 6. irrevocably and unconditionally Guarantee the payment to the University the sum not exceeding Rs._____ (Rupees_____ _____ only) in the event of any breach, failure, neglect or inability on the part of the Contractor in the execution of the said work, on demand without reference of the matter to the Contractor and without any prior consent of the Contractor, at all times throughout the period of execution of the work, without demur, cavil or argument or delay.

7. The Guarantor agrees and undertakes that the decision of the University as to whether the contractor has committed any breach of the obligation with respect to the wok to be executed, and the quantum of amount therefore payable by the Contactor to the University in that regard, shall be final, binding and conclusive as against the Guarantor and the Guarantor shall make payment accordingly, on demand by the University.

8. The Guarantor further agrees and undertakes to pay to the University the amount demanded by the University irrespective of and not withstanding any dispute raised by the Contractor in any suit or proceeding before any judicial forum relating to the Contracted work and the Guarantor's liability under this Guarantee shall be absolute and unequivocal.

9. This Guarantee is issued subject to the condition that the liability of this Guarantor under this guarantee is limited to the maximum of Rs.______ (Rupees _______ only) and the guarantee shall remain in full force up to _______ and cannot be invoked otherwise than by a written demand or claim by the University for the payment of the said amount by the Guarantor on or before______ or any extended date as decided by the University.

10. This University shall have the fullest liberty without our consent and without affecting in any manner our obligations hereunder to vary any of the terms and conditions of the contracted work or to extend time for performance of the work by the Contractor. Any change to the contracted work shall not in any way release the Bank (Guarantor) from liability under this Guarantee and we waive notice of any such change. The University shall have full liberty to forbear or enforce any of the terms and conditions of the contracted work.

11. This Guarantee shall not be affected by any legal limitation, disability or other circumstances relating to the Contractor or the Guarantor.

12. This Guarantee shall be valid for the period upto ______ and shall extend further and beyond ______ for such period as determined by the University.

13. The Guarantor undertakes not to revoke this guarantee except with the previous consent of the University in writing.

14. Notwithstanding anything contained herein:

- This guarantee shall be valid upto _____ and for such further period as determined by the University for fulfillment of the contract.
- We are liable to pay the guaranteed amount or any part thereof under this Bank Guarantee only and only if you serve upon us a written claim or demand on or before ______ or such extended period / date.

In witness whereof, this Guarantee has been executed by _____

for an on behalf of the Bank (Guarantor) on the day, month and year first above written.

SIGNATURE AND SEAL NAME OF THE BANK (GUARANTOR) ADDRESS:

ANNEXURE – IV

BIDDER'S WARRANTY

The Registrat	r, Pondicherry	University,	Puducherry	invited	Bid	Document	for supply	of the
item(s)	namely,							at

_____, Pondicherry University, Puducherry

AND M/s.

DO HEREBY WARRANTY THAT

- 1. The bidder is familiar with all the requirements of the bid documents.
- 2. The bidder has investigated the site and satisfied, he regarding the character and scope of the work and local conditions that may affect the supply or its Performance.
- 3. The bidder is satisfied that the supply can be performed and completed as required in the contract.
- 4. The bidder accepts all risk directly or indirectly connected with the performance of the contract.
- 5. The bidder has had no collusion with other contractors, with any of the men of Pondicherry University, Puducherry, or with any other person in preparation of the bid.
- 6. The bidder has not been influenced by any statement or promise of the Officials of Pondicherry University, Puducherry but only by the bid documents.
- 7. The bidder is financially solvent.
- 8. The bidder is experienced and competent to perform the contract to the satisfaction of the Co-ordinator, Central Instrumentation Facility, Pondicherry University, Puducherry.
- 9. The statements submitted with the bid are true.
- 10. The contractor is familiar with all general and special laws, acts, ordinances, rules and regulations of the Municipal, District, State and Central Government that may affect the work, its performance or personnel employed therein.
- 11. All the terms & conditions of the Supply Order will bind the bidder once his quote is accepted and supply order issued.

Signature of the Bidder