

PONDICHERRY UNIVERSITY
ENGINEERING WING

Er.N.SANKARAMOURTHY, B.E.,
EXECUTIVE ENGINEER

No.PU/EW/NIQ/2016-17/

Date: 23.01.2017

NOTICE INVITING QUOTATIONS

For and on behalf of Pondicherry University, Executive Engineer, Engineering wing, Pondicherry University invites sealed quotations from the eligible contractors / reputed firms for the work of “Providing and fixing granite working platform along with water line connection at Department of Microbiology”. The rates should be filled in the schedule enclosed with this and placed in a sealed cover by superscribing the name of the work in the cover as mentioned above. An amount of Rs.1,500/- has to be furnished towards EMD which shall be in the form of demand draft from any one of the nationalized banks payable at Pondicherry, drawn in favour of the Finance officer, Pondicherry University. The notice with schedule can also be downloaded from the University web site www.pondiuni.edu.in and submitted

The filled in quotation shall to be placed in the tender box kept in the reception counter at Dr.B.R.Ambedhkar Administrative Block, Pondicherry University. The quotations will be received up to 3.00 p.m. on 02.02.2017 and will be opened at 3.30 p.m. on the same day in the presence of tenderers those who present at the time of opening.

The Executive Engineer, Engineering wing, Pondicherry University reserves the right to accept or reject any or all quotation without assigning any reason thereof.

EXECUTIVE ENGINEER

Encl: Schedule

PONDICHERY UNIVERSITY
ENGINEERING WING

SCHEDULE OF WORK

Name of the work: Providing and fixing granite working platform along with water line connection at Department of Microbiology

S.No.	Description	Qty.	Rate Rs.P.	Unit	Amount Rs.P.
1	Code No: 14.43				
	Removing white or colour wash by scrapping and sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete.	23.00		Sqm	
2	Code No: 15.23.2				
	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50m lead - For thickness of tiles above 25mm and upto 40mm.	4.00		Sqm	
3	Code No: 15.56				
	Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50m lead.	2.00		Sqm	
4	Code No: 6.4.2				
	Brick work with FPS bricks of class designation 35 in superstructure above plinth level upto floor V level in all shapes and sizes in cement mortar 1:6 (1 cement : 6 coarse sand)	1.00		Cum	
5	Code No: 5.3.1				
	Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15 degree landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto floor five level excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement :1.5 coarse sand : 3 graded stone aggregate 20mm nominal size).	0.30		Cum	
6	Code No: 5.9.3				
	Centring and shuttering including strutting, propping etc. and removal of form for : suspended floors, roofs,	4.00		Sqm	

	landings , balconies and access platform - Using steel sheet with M.S.frames				
7	Code No: 5.22.7				
	Reinforcement for R.C.C work including straightening , cutting , bending , placing in position and binding all complete - Thermo - Mechanically treated bars(ISI BRAND OF APPROVED MAKE) including placing the M30 grade Athees make cover block @ 60cm centre to centre	25.00		Kg	
8	Code No :13.6.2				
	20 mm cement plaster of mix 1:6 (1 cement : 6 coarse sand)	11.00		Sqm	
9	Code No :13.7.1				
	12 mm cement plaster finished with a floating coat of neat cement of mix 1:3 (1 cement : 3 fine sand)	4.00		Sqm	
10	Code No:14.45.1				
	Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade - Old work (one or more coats).	50.00		Sqm	
11	Code No:13.26A				
	Providing and applying ready mixed wall putty (JK / BIRLA) of 2mm thickness over plastered surface to prepare the surface even and smooth complete	30		Sqm	
12	Code No:13.41.1				
	Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade - New work (two or more coats) over and including priming coat with cement primer.	30.00		Sqm	
13	Code No:14.54.1				
	Painting with synthetic enamel paint approved brand and manufacture of required colour to give an even shade - One or more coats on old work.	35.00		Sqm	
14	Code No:8.2.2.2				
	Providing and fixing 18mm thick gang saw cut mirror polished (premoulded and prepolished) machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size of approved shade, colour and	4.00		Sqm	

	texture laid over 20mm thick base cement mortar 1:4 (1 cement: 4 coarse sand) with joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing moulding and polishing to edge to give high gloss finish etc. complete at all levels. - Granite of any colour and shade - Area of slab over 0.50 sqm				
15	Code No:8.3.2				
	Extra for providing edge moulding to 18mm thick marble stone counters, vanities, etc., including machine polishing to edge to give high gloss finish etc., complete. - Granite work.	7.00		Sqm	
16	Code No:11.36A				
	Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS : 15622 (thickness to be specified by the manufacture of approved make (Jhonson / Asian / Somany / Nitco) in all colours, shades of size 200 x 300 mm as approved in skirting, risers of steps and dados over 12mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3 kg per sqm. Including pointing in white cement mixed with pigment of matching shade complete. - size 200x300mm	5.00		Sqm	
17	Code No:17.11.2				
	Providing and fixing white vitreous china laboratory sink with CI brackets CP brass chain with rubber plug 40mm CP brass waste and 40mm CP brass trap with necessary CP brass unions complete including painting of fittings and brackets cutting and making good the walls wherever required size 600x450x200mm.	1.00		Each	
18	Code No:18.7.2				
	Providing and fixing chlorinated polyvinyl chloride (CPVC) pipes having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings i/c fixing the pipe with clamps at 1.00m spacing. This includes jointing of pipes & fitting with one step CPVC solvent cement and testing of	3.00		Rmt	

	joints complete (Internal work exposed on wall) - 20mm nominal outer dia pipes				
19	Code No: 12.41.1				
	Providing and fixing on wall face unplasticised rigid PVC rain water pipes conforming to IS : 13592 type A including jointing with seal ring conforming to IS : 5382 leaving 10mm gap for thermal expansion, (i) single socketed pipes. 75mm diameter.	3.00		Rmt	
20	Code No: 17.28.1.1				
	Providing and fixing PVC waste pipe for sink or wash basin including PVC waste fittings complete - Semi rigid pipe - 32mm dia.	1.00		Each	
21	Code No: MR.				
	Providing and fixing brass three way lab bib cock of approved quality. The rate including labours and materials etc., complete as direction by the Engineer – in-charge - 15 mm nominal bore.	1.00		Each	
22	Code No: 9.84				
	Providing and fixing IS:3564 make aluminium extruded section body tubular type universal hydraulic door closer with double speed adjustment with necessary accessories and screws etc. complete	1.00		Each	
				Total	

Terms & Conditions:

- i) The rates specified are firm and not subject to any variation.
- ii) The work should be completed within 30 days.
- iii) Payment will be made only after completion of the entire work.
- iv) The material should be got approved before commencement of work.
- v) VAT @ 3.5% will be deducted from the bill.

Contractor

Executive Engineer