

PONDICHERRY UNIVERSITY
ENGINEERING WING

SCHEDULE OF WORK

Name of the work: Annual maintenance and special repairs to the Physics Department

S.No.	Description	Qty.	Rate Rs.P.	Unit	Amount Rs.P.
1 14.42.2	White washing with lime to give an even shade – Old work (one or more coats).	3850		Sqm	
2 14.45.1	Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade - Old work (one or more coats).	8475		Sqm	
3 14.54.1	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade - One or more coats on old work.	1150		Sqm	
4 14.66.2	Finishing walls with Acrylic Smooth exterior paint of required shade -Old work (one or more coats applied @ 0.90 ltr/10 sqm)	4775		Sqm	
5 9.84	Providing and fixing IS:3564 make aluminium extruded section body tubular type universal hydraulic door closer with double speed adjustment with necessary accessories and screws etc. complete	10		Each	
6 14.6.1	Renewing glass panes, with wooden fillets wherever necessary – Float glass panes of thickness 4mm	2.80		sqm	
7 15.57	Dismantling aluminium / gypsum partitions, sqm 23.56 doors, windows, fixed glazing and false ceiling including disposal of unserviceable surplus material and stacking of serviceable material within 50m lead	3.65		sqm	
8 21.1.1.1	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections / appropriate Z sections and other sections of approved make conforming to IS : 733 and IS : 1285, fixed with rawl plugs and screws or with fixing clips, or with expansion hold fasteners including necessary filling up of gaps at junctions, at top, bottom and sides with required PVC /	6		Kg	

	neoprene felt etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / panelling, C.P. brass / stainless steel screws, all complete as per architectural drawings. (Glazing and panelling to be paid for separately) : For fixed portion. Anodised aluminium (anodised transparent or dyed to required shade according to IS :1868, Minimum anodic coating of grade AC 15)				
9 21.1.2.1	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections / appropriate Z sections and other sections of approved make conforming to IS : 733 and IS : 1285, fixed with rawl plugs and screws or with fixing clips, or with expansion hold fasteners including necessary filling up of gaps at junctions, at top, bottom and sides with required PVC / neoprene felt etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / panelling, C.P. brass / stainless steel screws, all complete as per architectural drawings. (Glazing and panelling to be paid for separately) : For shutters of doors, windows and ventilators including providing and fixing hinges / pivots and making provision for fixing of fittings wherever required including the cost of PVC / neoprene gasket required (fittings shall be paid for separately) Anodised aluminium (anodised transparent or dyed to required shade according to IS : 1868, minimum anodic coating of grade AC15).	11		Kg	
10 21.3.1	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc., with PVC / neoprene gasket etc., complete as per the	3.70		Sqm	

	architectural drawings. (cost of aluminium snap beading shall be paid in basic item) : With float glass panes of 4.0mm thickness				
11 21.17.1	Providing and fixing pvc switch look of 100mm length for aluminium sliding windows	100		Each	
	Total				

I hereby abide the rules and regulations stipulated in the CPWD form no. 6 & 8.

Contractor

Assistant Engineer