

**Technical Bid** 

# **ITEM RATE TENDER**

Name of work : Comprehensive AMC for Window/Split Air

conditioners in Zone-II area of University Campus for

the year 2015-16

Approximate value put to Tender : Rs. 4,23,389

Earnest money Deposit : Rs. 8,468/-

Cost of Tender Schedule : Rs. 500 + 4% VAT

Date and Time of Submission : 23/12/2015

Time: 03.00 pm

Date and Time of Opening : 23/12/2015

Time: 4.00 pm

Date of prebid meeting : 18/12/2015

Venue : EC HALL, University Campus

# POINDICHERRY UNIVERSITY



(A Central University)
Kalapet, Puducherry 605 014

#### **TENDER NOTICE**

On behalf of the Pondicherry University, sealed rate tender for the following works are invited from reputed contractors, who have met the eligibility criteria as stipulated below.

S.N	Name of Work	Estimated Cost in Rs.	Earnest Money in Rs.	Time allowed for completion	Date & time of prebid meeting	Last date and time of Submission of tender	Date and time of opening of technical bid
1.	Comprehensive AMC for window/split Air conditioners in Zone-I area of University Campus for the year 2015-2016	4,51,761	9,035	12 months	18/12/2015 2.30 pm	23/12/2015 3.00 pm	23/12/2015 3.30 pm
2.	Comprehensive AMC for window/split Air conditioners in Zone-II area of University Campus for the year 2015-2016	4,23,389	8468	12 months	18/12/2015 2.30 pm	23/12/2015 3.00 pm	23/12/2015 4.00 pm

\*Details of approximate quantum of work are in annexure to the prequalification bid/Technical bid Eligibility criteria: 1) Interested contractors should have successfully completed each work costing not less than 25 % of the estimated cost put to tender for the last 3 years (as per financial year indicated in the pre qualification bid/Tech bid) of tender in Central/State Govt/Central autonomous bodies/Central public sector undertaking/private organisation. Proof of completion of similar works should be enclosed with the tender document. The technical bid will be rejected at initial level if the contractor does not meet the above norms.

2). The tender documents have to be downloaded from the Pondicherry University website (<a href="www.pondiuni.edu.in">www.pondiuni.edu.in</a>). The cost of tender document so downloaded has to be paid in the form of DD while submitting the tender. The tender, without cost of tender document, will be summarily rejected.

The tender superscribed with the name of the work on the envelope shall be deposited in the tender box kept at the reception counter of Administrative Building on or before the stipulated date and time for submission of tenders.

The tenders will be opened in the following sequence. The tender for Zone-I will be opened first and the L1 contractor will be identified. Then the tender for the Zone-II will be opened. The tender of the L1 contractor for the Zone-I, if submitted will not be opened. Other tenders only will be opened and evaluated for finalizing the L1.

The EMD & tender cost in the above form and the technical bid shall be put in a cover superscribed with the name of the work and wording 'EMD + Technical bid' (cover 1). The price bid consisting of the BOQ shall be put in another cover superscribed with the name of the work and the wording 'Price Bid' (Both the covers 1 and 2 may be put in a third cover superscribed with the name of work (cover 3).

At the time fixed for opening of the tender, if the EMD submitted is in the acceptable form and the eligibility criteria mentioned above is met, then the tender will be accepted. Otherwise the tender will be returned to the tenderer.

# PONDICHERRY UNIVERSITY NOTICE INVITING TENDERS (NIT)

- 2.1 Item rate tenders are invited on behalf of the Pondicherry University, Puducherry-14 for the work of "Comprehensive AMC for Window/Split Air conditioners in Zone-Il area of University Campus for the year 2015-16" from those contractors who fulfill the eligibility criteria as given in the N.I.T. Documentary proof to satisfy the condition is to be submitted in the Technical bid.
- 2.2 The work is estimated to cost Rs. 4,23,389/-
- 2.3 Agreement shall be drawn with the successful tenderer in the prescribed Form 8 of CPWD duly modified to suit Pondicherry University requirements. The tenderer shall quote the rates as per various terms and conditions of the said form which will form part of the agreement.
- 2.4 Time allowed for carrying out the work is 12 months which shall be reckoned from the 10<sup>th</sup> day after the date of written orders to commence the work or from the first day of handing over of the site whichever is later.
- 2.5 The tender documents have to be downloaded from the website (www.Pondiuni.edu.in). The cost of tender document so downloaded has to be paid in the form of DD while submitting the tender. The crossed demand draft for Rs. 520/- drawn in the name of Finance Officer, Pondicherry University from any Scheduled bank and payable at Puducherry should be enclosed. The tender, without cost of tender document, will be summarily rejected.
- 2.6 The specifications, the schedule of quantities of the various classes of work to be carried out and the terms and conditions of contract to be complied with by the tenderer will be discussed on the prebid meeting.
- 2.7 Tenders should be accompanied by Earnest Money Deposit for an amount of Rs. 8,468/- in the form of a demand draft drawn from any schedule Bank in favour of the Finance Officer, Pondicherry University, Puducherry payable at Puducherry.
- 2.8 The description of the work is given below. "Comprehensive AMC for Window/Split Air conditioners in Zone-II area of University Campus for the year 2015-16". The details of works to be carried out are indicated in the bill of quantities.
- 2.9 Tenderers are advised to inspect and examine the site and its surroundings and satisfy themselves, before submitting their tenders, as to the nature of the ground and sub soil, the form and nature of site, the means of access to the site, the availability of space for storage of materials etc and in general obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their tender. A tenderer is deemed to have full knowledge of site whether he inspects it or not and no extra charges consequent on any misunderstanding or other wise shall be allowed. The tenderer shall be responsible for arranging and maintaining at his own cost all materials, tools, water, electricity, access facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents.

Submission of a tender by a tenderer implies that the tenderer has read this notice and all other contract documents and has made himself aware of the conditions, specification of the

work to be done and of conditions and rates at which stores, tools and plants etc if any will be issued to him by the University and local conditions and other factors having a bearing on the execution of work.

- 2.10 The competent authority does not bind itself to accept the lowest or any other tender and reserves itself the authority to reject any or all the tenders received without the assignment of any reason. Tenders in which any of the prescribed conditions is not fulfilled or with any conditions including that of conditional rebate put forth by the tenderer shall be summarily rejected.
- 2.11 Canvassing whether directly or indirectly, in connection with the tender is strictly prohibited and the tenders of the tenderers who resort to canvassing will be liable for rejection.
- 2.12 The competent authority reserves to itself the right of accepting part or whole of the tender and the tenderer shall be bound to perform the same at the rate quoted.
- 2.13 The tenderer shall not be permitted to tender for works in Pondicherry University if his near relative is posted as Divisional Accountant, Asst. Registrar or as an officer in any capacity in the grades of Engineers (All inclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him who are near relatives to any officer in Pondicherry University. Any violation of this by the tenderer would render him liable to be removed from the approved list of tenderers and the tender is liable to be rejected
- 2.14 No Engineer or other officers employed in Engineering unit of Pondicherry University or other Gazetted officers employed in Engineering or Administrative duties in any Engineering establishment of Government of India shall be allowed to work as a tenderer or employee of the tenderer in Pondicherry University for a period of two years after his/her retirement from service, without previous permission of Pondicherry University / Government of India. Any violation by the tenderer would render the tenderer liable to be removed from the approved list of tenderers and the tender is liable to be rejected.
- 2.15 The tender for the works shall remain open for acceptance for a period of sixty days from the date of opening of tender. Any tenderer who withdraws his tender before the said period or issue of acceptance, whichever is earlier or makes any modification in the terms and conditions of the tender which are not acceptable to the Pondicherry University, then the tenderer will forfeit 50 % of the said Earnest Money aforesaid to Pondicherry University without prejudice to any other right or remedy. Further the tenderer who withdraws or makes modifications which are not acceptable shall not be allowed to participate in the future tenders of Pondicherry University.
- 2.16. This notice inviting tender including additional conditions, specifications and drawings, if any, shall form a part of the contract document. The successful tenderer on acceptance of his tender, shall within 15 days from the stipulated date of start of the work, sign the contract consisting of Notice inviting tender, all the documents including additional conditions, specifications and drawings, if any, forming the tender as issued at the time of invitation and acceptance thereof together with any correspondence thereto and General Conditions of contract for CPWD works (Standard CPWD form 8) duly modified to suit Pondicherry University.

#### 3.0 TENDER

I / We have read and examined the notice inviting tender, schedules A, B, C, D, E & F, specifications applicable, drawings, Conditions of contract and other documents and rules referred to in the conditions of contract and all other contents in the tender documents for the work.

I / We hereby tender for the execution of the work specified for the Pondicherry University, within the time specified in all respects in accordance with the specifications, designs, drawings and instructions in writing referred to in General Rules and Directions and in Clause 11 of form 8 (General conditions of contract) and with such materials as are provided for, by, and in all respects in accordance with such conditions so far as applicable.

We agree to keep the tender open for sixty (60) days from the due date of opening thereof and not to make any modifications in its terms and conditions

A sum of Rs. 8,468/- is enclosed in the form of demand draft towards EMD.

I/we hereby declare that I/we shall treat the tender documents, drawings and other records connected with the work as secret / confidential documents and shall not communicate the information derived therefrom to any person other than a person to whom I/we am / are authorized to communicate the same or use the information in any manner prejudicial to the safety of the State.

Dated

Signature of the Tenderer Postal Address

Witness

Signature

Name

Postal Address

Occupation

For & on behalf of Pondicherry University

# 4. ACCEPTANCE

The above tender (as modified by you as provided in the letters mentioned hereunder) is
accepted by me for an on behalf of the Pondicherry University, Puducherry, for a sum of Rs.
(Rupees
)
The letters referred to below shall form part of this contract Agreement:
a)
b)
c)
Dated

#### **GENERAL CONDITION OF CONTRACT**

- 5.1 The general condition of contract for CPWD works 2005 comprising general rules and directions, conditions of contract, and the contact clauses in Form 8 should be read in conjunction with all Correction Slip (C.S.) issued by the DG (Works), CPWD, New Delhi up to 30 04 2007.
- 5.2 Wherever the expression "The President of India" or "The Government" or "The CPWD" appears in the clauses it should be substituted by the expression "University" representing Pondicherry University, Puducherry.
- 5.3 Wherever the expression "divisional Officer" appears in the Clauses, it should be substituted by the expression "Registrar".
- 5.4 "Engineer in Charge" means Assistant Engineer (E), Pondicherry University, and the Engineer means the officer representing the Engineer-in-Charge of the Project.

#### **6.0 General Rules and Directions**

- 6.1 The tender must be signed by the person / persons competent to sign as indicated in para 8.13 of the document. Same stipulations will also apply in the case of Receipt for payments made on account of work when executed by a firm.
- 6.2 Any person who submits a tender shall fill up the form, stating at what rate he is willing to undertake each item of the work. Only one rate shall be given in words & figures for each item. Tenders, which propose any alteration in the work specified in the said form of invitation to tender, or in the time allowed for carrying out the work, or which contain any other condition of any sort including conditional rebates, will be summarily rejected. Tender shall have the name and number of the work to which they refer, written on the envelopes. Amount must be quoted in full rupees by ignoring fifty paise and below and considering more than fifty paise as rupee one.
- 6.3 The officer inviting tender or his duly authorized assistant will open the tenders in the presence of any intending tenderers or their authorized agents who may be present at the time and will enter the amounts of the several tenders in a comparative statement in a suitable form. In the event of a tender being accepted, a receipt for the Earnest Money forwarded therewith shall thereupon be given to the tenderers. In the event of a tender being rejected, the Earnest Money forwarded with such unaccepted tender shall thereupon be returned to the tenderers remitting the same, without any interest.
- 6.4 The officer inviting tenders shall have the right of rejecting all or any of the tenders and will not be bound to accept the lowest or any other tender.
- 6.5 The tenderers shall sign a declaration under the Official Secret Act, 1923, for maintaining secrecy of the tender documents, drawings or other records connected with the work given to them.
- 6.6 In the case of Item Rate Tenders, only rates quoted shall be considered. Any tender containing percentage below/above the rates quoted is liable to be rejected. Rates quoted by the tenderer in item rate tender in figures and words shall be accurately filled in so that there is no discrepancy in the rates written in figures and words. However, if a discrepancy is found, the rates which correspond with the amount worked out by the tenderers shall, unless

otherwise proved, be taken as correct. If the amount of an item is not worked out by the tenderer or it does not correspond with the rates written either in figures or in words, then the rates quoted by the tenderer in words shall be taken as correct. Where the rates quoted by the tenderer in figures and in words tally but the amount is not worked out correctly, the rates quoted by the tenderer, will, unless otherwise proved, be taken as correct and not the amount.

- 6.7 In the case of any tender where unit rate of any item/items appear unrealistic, such tender will be considered as unbalanced and in case the tenderer is unable to provide satisfactory explanation, such a tender is liable to be disqualified and rejected.
- 6.8 The tenderer shall be required to deposit 10% of the tendered value of work (as mentioned in the letter of acceptance) as performance guarantee in the form of irrevocable bank guarantee bond of any scheduled bank or State Bank of India in accordance with the form prescribed or in cash or in the form of Government Security or fixed deposit receipt, within 15 days of the issue of letter of acceptance.
- 6.9 The tenderer whose tender is accepted, will be required to furnish by way of Security Deposit for the fulfillment of his contract, an amount equal to 10 % of the tendered value of the work. The Security deposit will be collected by deductions from the running bill of the contractor at the rates mentioned above and the earnest money deposited at the time of tender, will be treated as a part of this Security Deposit. The SD amount will also be accepted in cash or in the shape of Government securities. Fixed deposit receipt of a scheduled bank or State bank of India will also be accepted for this purpose provided confirmatory advice is enclosed.
- 6.10 On acceptance of the tender, the name of the accredited representative(s) of the contractor who would be responsible for taking instructions from the Engineer-in-Charge shall be communicated in writing to the Engineer-in-Charge.
- 6.11 Sales tax (VAT), Service Tax, purchase tax, turnover tax, works contract tax or any other tax on material, labour and works in respect of this contract shall be payable by the contractor and Pondicherry University will not entertain any claim whatsoever in respect of the same.
- 6.12 The contractor shall give a list of officers and staff of Pondicherry University who are related to him.
- 6.13 The tender for the work shall not be witnessed by a contractor or contractors who himself / themselves has/have tendered for the same work. Failure to observe this condition would render tenders of the contractor tendering, as well as witnessing the tender, liable to summary rejection.
- 6.14 The contractor shall comply with the provisions of the Apprentices Act 1961, and the rules and orders issued there under from time of time. If he fails to do so, his failure will be a breach of the contract and the Registrar may at his discretion, without prejudice to any other right or remedy available in law, cancel the contract. The contractor shall also be liable for any pecuniary liability on account of any violation by him of the provisions of the said Act.

- 7.1 The **Contract** means the documents forming the tender and acceptance thereof and the formal agreement executed between the competent authority on behalf of the Pondicherry University and the contractor, together with the documents referred to therein including these conditions, the specifications, designs, drawings and instructions issued from time to time by the Engineer-in-charge and all these documents taken together, shall be deemed to form one contract and shall be complementary to one another.
- 7.2 In the contract, the following expressions shall, unless the context otherwise requires, have the meanings, hereby respectively assigned to them:-
- 7.2.1 The expression 'works' or 'work' shall, unless there be something either in the subject or context repugnant to such construction, be construed and taken to mean the works by or by virtue of the contract to be executed whether temporary or permanent, and whether original, altered, substituted or additional.
- 7.2.2 The Site shall mean the land/or other places on, into or through which work is to be executed under the contract or any adjacent land, path or street through which work is to be executed under the contract or any adjacent land, path or street which may be allotted or used for the purpose of carrying out the contract.
- 7.2.3 The tenderer shall mean the individual, firm or company, whether incorporated or not, undertaking the works and shall include the legal personal representative of such individual or the persons comprising such firm or company, or the successors of such firm or company and the permitted assignees of such individual, firm or company.
- 7.2.4 The Engineer-in-charge means the Engineer officer who shall supervise and be incharge of the work on behalf of Pondicherry University.
- 7.2.5 Accepting Authority shall mean the Registrar, Pondicherry University.
- 7.2.6 Excepted Risks are risks due to riots (other than those on account of tenderer's employees), war (whether declared or not) invasion, act of foreign enemies, hostilities, civil war, rebellion, revolution, insurrection, military or usurped power, any acts of Pondicherry University, damages from aircraft, acts of God, such as earthquake, lightning and unprecedented floods, and other causes over which the tenderer has no control and accepted as such by the Accepting Authority or causes solely due to use or occupation by Pondicherry University of the part of the works in respect of which a certificate of completion has been issued or are caused solely due to Pondicherry University faulty design of works.
- 7.2.7 Market Rate shall be the rate as decided by the Engineer-in-charge on the basis of the cost of materials and labour at the site where the work is to be executed plus the percentage mentioned to cover all overheads and profits.
- 7.2.8 Schedules(s) referred to in these conditions shall mean the relevant schedule(s) annexed to the tender papers or the standard schedule of Rates of the CPWD with the amendments thereto issued up to the date of receipt of the tender.
- 7.2.9 Department means Pondicherry University which invites tenders.
- 7.2.10 Distinct specification means the specifications followed by the Union Territory of Puducherry in the area where the work is to be executed.

- 7.2.11 Tendered value means the value of the entire work as stipulated in the letter of award.
- 7.3 Where the context so requires, words imparting the singular only also include the plural and vice versa. Any reference to masculine gender shall whenever required include feminine gender and vice versa.
- 7.4 Headings and marginal notes to the General Conditions of contract shall not be deemed to form part thereof be taken into consideration in the interpretation or construction thereof of the contract.
- 7.5 The contractor shall be furnished, free of cost one certified copy of the contract documents except standard specifications, Schedule of Rates and such other printed and published documents, together with all drawings as may be forming part of the tender papers. None of these documents shall be used for any purpose other than that of his contract.
- 7.6 The work to be carried out under the contract shall, except as otherwise provided in these conditions, include all labour, materials, tools, plants, equipment and transport which may be required in preparation of and for and in the full and entire execution and completion of the works. The descriptions given in the Schedule of quantities Price Bid (Schedule-A) shall, unless otherwise stated, be held to include wastage on materials, carrying and return of empties, hoisting, setting, fitting and fixing in position and all other labours necessary in and for the full and entire execution and completion of the work as aforesaid in accordance with good practice and recognized principles.
- 7.7 The contractor shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of his tender for the works and of the rates and prices quoted in the schedule of Quantities, which rates and prices shall except as otherwise provided cover all his obligations under the contract and all matters and things necessary for the proper completion and maintenance of the works.
- 7.8 The several documents forming the contact are to be taken as mutually explanatory of one another, detailed drawings being followed in preference to small scale drawing and figured dimensions in preference to scale and special conditions in preference to General conditions.
- 7.8.1 In the case of discrepancy between the schedule of Quantities, the specifications and/or the Drawings, the following order of preference shall be observed.
- 7.8.1.1 Description of Schedule of Quantities.
- 7.8.1.2 Particular Specifications and special conditions, if any
- 7.8.1.3 Drawings.
- 7.8.1.4 C.P.W.D Specifications
- 7.8.1.5 Indian Standard specifications of B.I.S.
- 7.8.2 If there are varying or conflicting provisions made in any one document forming part of the contract, the Accepting Authority shall be the deciding authority with regard to the Intention of the documents and his decision shall be final and binding on the contractor.

- 7.8.3 Any error in description, quantity or rate in schedule of Quantities or any omission there from shall not vitiate the contract or release the contractor from the execution of the whole or any part of the works comprised therein according to drawings and specifications or from any of his obligations under the contract.
- 7.9 The successful contractor, on acceptance of his tender by the Accepting Authority, shall within 15 days from the stipulated date of start of the work sign the contract consisting of:-
- 7.9.1 The notice inviting tender, all the tender documents forming the tender as issued at the time invitation of tender and acceptance thereof together with any correspondence leading thereto.

#### 7.10 ORDER OF PRECEDENCE IN INTERPRETATION OF DOCUMENTS

- 7.10.1 The several documents forming the contract are to be taken as mutually explanatory of one another. In cases of ambiguities or discrepancies the same shall be brought to the attention of the Engineer who shall thereupon issue instructions to the contractor.
- 7.10.2 In case of any conflict in interpretation of contract documents, the following order of precedence shall prevail.
- 7.10.2.1 For Contract Conditions, Special Conditions shall prevail over General Conditions and Clauses of contract. Addenda / Corrigenda / clarifications issued shall prevail over conditions of contract including special conditions and clauses of contract.
- 7.10.2.2 For Technical clarifications and general guidelines on technical specification and workmanship, provisions in conditions of contract will be applicable.
- 7.10.2.3 Drawings shall prevail overall for scope of work, read in conjunction with bill of quantities, technical specifications and conditions of contract.
- 7.10.2.4 For drawings, written dimensions shall prevail over scaled dimensions. Enlarged details shall prevail over general plan, section, elevation etc.

# 8.0 ADDITIONAL CONDITIONS

- 8.1 The Electrical power shall be made available at a near by location of the proposed site. Contractor shall make arrangement for laying cables etc to the site of work and make necessary payments for the electrical consumptions at the rate of Rs.7.00 per unit.
- 8.2 Some restrictions may be imposed by the security staff etc., on the working and on movement of labour, materials etc. The contractor shall be bound to follow all such restrictions/instructions and nothing extra shall be payable on this account. Necessary entry passes have to be obtained for entry of labour and materials. Contractor should take advance action for obtaining such passes and no claim on this account shall be entrained.
- 8.3 The contractor shall give a performance test of the installation(s) as per standing specifications before the work is finally accepted and nothing extra whatsoever shall be payable to the contractor for the test.
- 8.4 Samples of various materials, finishings, etc are available in the office of the Assistant

- Engineer (E). The same may be seen by the tenderers before submission of the tender.
- 8.5 Sample of all materials to be used in this work shall be got approved in advance from the Engineer-in-Charge before taking up the work. The contractor shall produce all the materials in advance so that there is sufficient time for testing and approving the material and clearance of the same before use in work.
- **8.5.1** In case of major problem such as compressor failure in any of the air conditioning unit it should be restored by replacing the compressor within 4 days failing which the same will be replaced through some other agency and the amount spent will be recovered from the bill of the contractor. In case of minor problem result in non functioning of the AC unit for more than 4 days will be penalized at the rate of Rs.100/- per AC in the subsequent month bill or the same will be replaced through some other agency and the amount spent will be recovered from the bill of the contractor.
- **8.5.2** In the case of failure of warranty compressor/stabilizer, the bill copy of the concerned AC unit/stabilizer warranty card will be handed over to the contractor. It is the responsibility of the contractor to obtain the warranty benefits from the manufactures of the units.
- **8.5.3** Payment process will be initiated in the first week of every month on submission of receipt of acknowledgement from the users and after verification by the engineer in charge on the respective services done during the preceding month.
- 8.5.4 All the replaced accessories except compressor should be handed over to the Electrical Wing on the day of replacement.
- 8.6 A prospective Tenderer requiring any clarification on the Tender Document may notify the Assistant Engineer (E), Pondicherry University at Puducherry-14 The Assistant Engineer (E) will respond to any request for clarification which he receives earlier than 5 days prior to the deadline for submission of Tenders.
- 8.7 Before the deadline for submission of Tenders, the Tender Document may be modified by Pondicherry University by issue of Addenda. Any Addendum issued shall be part of the Tender Documents and shall be communicated in writing to all who have purchased the tender documents. The prospective Tenderers shall acknowledge receipt of each Addendum in writing to the Assistant Engineer (E) / Pondicherry University. To give prospective Tenderers reasonable time in which to take the Addenda into account in preparing their tenders, extension of the deadline for submission of Tenders may be given as necessary.
- 8.8 The Tender should be accompanied by Earnest Money for an amount of Rs. 8,468/- (Rupees eight thousand four hundred sixty eight only). The EMD documents should be enclosed in cover -1. Any tender not accompanied by Earnest Money in an acceptable form shall be rejected by the Employer as non-responsive.
- 8.9 The Earnest Money of the Tenderers whose tender is found not acceptable will be returned as soon as scrutiny of tender has been completed by the Employer.
- 8.10 The Earnest Money of the successful Tenderer will be taken as part of the Security Deposit as stipulated in "General conditions of Contract". The Earnest Money will be forfeited to an extent of 50%, if during the period of Tender Validity, the tenderer
- 8.10.1 Withdraws his Tender or

- 8.10.2 Makes any modifications in the terms and conditions of the Tender which are not acceptable to the Employer.
- 8.10.3 The Earnest Money will be forfeited in full if the successful Tenderer fails to commence the work on 16th day after the date on which the Employer issues written order to commence the work/ handing over the site which ever is later.
- 8.11 The Tenderers shall submit offers, which comply strictly with the requirements of the Tender Document. Alternatives or any modification shall render the Tender invalid.
- 8.12 The EMD & tender cost should be enclosed with the technical bid superscribed with the name of the work and wording 'EMD + Technical bid' (cover 1). The price bid consisting of the BOQ shall be put in another cover superscribed with the name of the work and the wording 'Price Bid' (Both the covers 1 and 2 may be put in a third cover superscribed with the name of work (cover 3).
- 8.13 The tenderer happens to be L1 in Zone-I works will not be considered for Zone-II and tender Offer documents of L1 in Zone-I will be set aside while opening the Zone-II offer documents.

#### 8.13 AUTHORITY TO SIGN

- 8.13.1 If the tenderer is an individual, he should sign above his full type written name and current address.
- 8.13.2 If the tenderer is a proprietary firm, the Proprietor should sign above his full type written name and the full name of his firm with its current address.
- 8.13.3 If the tenderer is a firm in partnership, the Documents should be signed by all the Partners of the firm above their full type written names and current addresses. Alternatively the Documents should be signed by a Partner holding Power of Attorney for the firm and in this case a certified copy of the Power of Attorney should accompany the Documents. In both cases a certified copy of the Partnership Deed and current address of all the partners of the firms should be furnished.
- 8.13.4 If the tenderer is a limited Company, or a Corporation, the Documents shall be signed by a duly authorized person holding Power of Attorney for signing the Documents, accompanied by a copy of the Power of Attorney. The tenderer should also furnish a copy of the Memorandum / Articles of Association duly attested by a Public Notary.
- 8.14 Tenders must be put on the tender box provided in the reception counter at Pondicherry University Campus not later than 3.00 PM of the date mentioned in the tender. In the event of the specified date for the submission of the Tender being declared as a holiday by the Employer, the Tenders will be received up to the appointed time on the next working day. The Employer may extend the deadline for submission of Tenders by issuing an amendment. Any Tender received after the deadline prescribed will be returned unopened to the Tenderer.

# 8.15 Evaluation of tenders wherein tenderers has not quoted rate(s) for one or more items

In the case of item Rate Tenders, only rates quoted shall, be considered. Any tender containing percentage below / above the rates quoted is liable to be rejected. Rates quoted by the contractor in item rate tender in figures and words shall be accurately filled in so that there is no discrepancy in the rates written in figures and words. However if a discrepancy is found, the rates, which correspond with the amount worked out by the contractor, shall, unless otherwise proved, be taken as correct. If the amount of an item is not worked out by the contractor or it does not correspond with the rates written either in figures or in words, then the rates quoted by the contractor in words shall be taken as correct. Where the rates quoted by the contractor in figures and in words tally but the amount is not worked out correctly, the rates quoted by the contractor will, unless otherwise proved, be taken as correct and not the amount. In event no rate has been quoted for any item(s), leaving space both in figure(s), words(s) and amount blank, it will be presumed that the contractor has included the cost of this / these item(s) in other items and rate for such items(s) will be considered as zero and work will be required to be executed accordingly.

# 8.16 Contractor Superintendence, Supervision, Technical Staff & Employees

- 8.16.1 The contractor shall provide all necessary superintendence during execution of the work and as long thereafter as may be necessary for proper fulfilling of the obligations under the contract.
- 8.16.2 The contractor shall immediately after receiving letter of acceptance of the tender and before commencement of the work, intimate in writing to the Engineer-in-Charge the name(s), qualifications, experience, age, address(s) and other particulars along with certificates, of the principal technical representative to be in charge of the work and other technical representative(s) who will be supervising the work. Minimum requirement of such technical representative(s) and their qualifications and experience shall not be lower than that specified in Schedule 'F'. The Engineer-in-Charge shall within 3 days of receipt of such communication, intimate in writing his approval or otherwise of such representative(s) to the contractor. Any such approval may at any time be withdrawn and in case of such a withdrawal, the contractor shall appoint another such representative(s) according to the provisions of this clause. Decision of the tender accepting authority shall be final and binding on the contractor in this respect. Such a principal technical representative and other technical representative(s) shall be appointed by the contractor soon after receipt of the approval from Engineer-in-Charge and shall be available at site before start of work.
- 8.16.3 All the provisions applicable to the principal technical representative under the Clause will also be applicable to other technical representative(s). The principal technical representative and other technical representative(s) shall be present at the site of work for supervision at all times when any construction activity is in progress and also present himself /themselves, as required, to the Engineer-in-Charge and/or his designated representative to take instructions. Instructions given to the principal technical representative and other technical representative(s) shall deem to have the same force as if these have been given of the contractor. The principal technical representative(s) and other representatives shall be actually available full time during all stages of execution of work, recording/checking/ test checking of measurement of work and wherever so required by Engineer-in-Charge and shall also note instructions conveyed by the Engineer-in-Charge or his designated representative(s) in the site order book and shall affix his/their signature in token of noting down the instructions and in of acceptance of measurements/ checked measurements/test checked

measurements. The representative(s) shall not look after other works in addition to the work covered under this contract. Substitutes, duly approved by Engineer-in-Charge of the work in the manner as aforesaid shall be provided for absence of any of the representative for more than two days.

8.16.4 If the Engineer-in-Charge, whose decision in this respect is final and binding on the contractor, is convinced that no such technical representative is/are effectively appointed or is/are effectively attending or fulfilling the provision of this clause, a recovery (nonrefundable) shall be effected from the contractor as specified in Schedule 'F' and the decision of the Engineer-in-Charge as recorded in the site order book and measurements checked/test checked in Measurement books shall be final and binding on the contractor. Further if the contractor fails to appoint suitable Principal technical representative and other technical representative(s) or if such appointed persons are not effectively present or absent by more than two days without duly approved substitute or do not discharge their responsibility satisfactorily, the Engineer-in- Charge shall have powers to suspend the execution of the work until such date as suitable other representative(s) is/are appointed and the contractor shall be held responsible for the delay so caused to the work. The contractor should submit a certificate of employment of the technical representatives(s) along with every on account of bill / final bill and shall produce evidence at any time if required by the Engineer in charge.

# 8.17 INSURANCE TO BE TAKEN BY THE TENDERER AND EMPLOYER TO BE INDEMNIFIED

#### 8.17.1 Insurance of works

The contractor shall effect contractor's all risk insurance policy (CAR policy) in the joint names of the Employer and the contractor, the name of the former being placed first in the policy, covering the following:

- 8.17.1.1 The Works at the contract price together with the materials for incorporation in the works at their replacement value.
- 8.17.1.2 All plants, machinery and equipment and other things brought to the site by the contractor at their replacement value.
- 8.17.1.3 The insurance shall be against all losses or damages from whatever causes, other than excepted risks, as defined in Clause 2 of Conditions of Contract, for which the contractor is responsible under the Contract. The insurance cover shall be for the period of contract and also for the period of maintenance, for loss or damage arising from a cause prior to commencement of the period of maintenance, and for any loss or damage, occasioned by the contractor in the course of any operations carried out for the purpose of complying with his obligations during maintenance period under Clause 17 of conditions of Contract.
- 8.17.1.4 Such insurance shall be effected with an insurer and with terms approved by the Employer. The contractor shall produce the policy or policies and the receipts for payment of the current premiums.

# **8.17.2 Third Party Insurance**

Before commencing the execution of the Works, the contractor shall insure against the liability for any material or physical damage, loss or injury which may occur to any property or life including that of the Employer or to any person, including any employee of

the Employer, by or arising out of the execution of the works or in the carrying out of the Contract. The sum insured will be for Rs.5.00 lakh, Such insurance shall be effected with an insurer and in terms approved by the Employer. The contractor shall produce before the Engineer-in-charge the policy or policies of insurance and the receipts of payment of the current premiums. This third party insurance can either be included in the CAR policy or taken separately.

#### **8.17.3** Workmen's Insurance

Pondicherry University shall not be liable for any payment in respect of any damages or compensation payable according to law in respect or in consequence of any accident or injury or loss of life to any workman or other person in the employment of the contractor or any subcontractor.

# **8.17.4 Recovery from the contractor**

Without prejudice to the other rights of the Employer against the contractor in respect of such default, the Employer shall be entitled to deduct from any sums payable to the contractor the amount of any damages, compensation costs, charges and other expenses paid by the Employer and which are payable by the contractor under this clause.

#### **8.17.5** Extension of time

The contractor, in case of rebuilding or reinstatement, shall be entitled to such extension of time for completion as the Engineer-in-charge may deem fit, but shall, however not be entitled to reimbursement by the Employer of any shortfall or deficiency in the amount finally paid by the insurer in settlement of any claim arising as set out herein.

#### **8.17.6 Period of Policies**

All the insurance covers mentioned above shall be kept alive during the complete period of the contract including maintenance period.

### 8.17.7 Remedy on Contractor's Failure to Insure

If the contractor fails to effect and keep in force the insurance referred to above, or any other insurance which he may be required to effect under the terms of the Contract, then and in any such case the Employer on advice of the Engineer-in-Charge may effect and keep in force any such insurance and pay such premium or premiums as may be necessary for that purpose and from time to time deduct the amount so paid by the Employer as aforesaid from any moneys due or which may become due to the contractor, or recover the same as debt due from the contractor.

# 8.17.8 Damage to Persons and Property – Employer to be Indemnified

The contractor shall indemnify the Employer against all losses and claims in respect of injuries or damages to any person or material or physical damage to any property whatsoever which may arise out of or in consequence of the execution and maintenance of the works and against all claims, proceedings, damages, costs, charges and expenses whatsoever in respect of or in relation thereto, except any compensation or damages for or with respect to:

- 8.17.8.1 The permanent use or occupation of land by the works or any part thereof.
- 8.17.8.2 The right of the Employer to execute the works or any part thereof on, over, under, the contracted cost through any agency.
- 8.17.8.3 Injuries or damage to persons or property resulting from any act or neglect of the Employer, his agents, servants or other contractors, not being employed by the contractor or for

or in respect of any claims, proceedings, damages, costs, charges and expenses in respect thereof or in relation thereto or where the injury or damage was contributed to by the contractor, his servants or agents, such part of the compensations as may be just and equitable having regard to the extent of the responsibility of the Employer, his servant or agent or other contractor, for the damage or injury.

8.18 The contractor shall make arrangement for construction of a temporary site office as required by the Engineer-in-charge for which no extra payment will be paid.

**Signature of Contractor** 

Registrar

#### 9.0 SPECIAL CONDITIONS

- 9.1 No labour camps shall be permitted inside the Pondicherry University Campus. Workers should be made to confine themselves to the work areas and should not wander in to the near by areas / buildings/ forests.
- 9.2 If night work is required to be carried out to fulfill the agreed rate of progress, all arrangement shall be made by the Contractor, inclusive of lighting the area without any claim for extra rate. To the extent possible engaging women labour in the night shift should be avoided.
- 9.3 The works shall be carried as per C.P.W.D specifications with Addenda and Corrigenda issued up to date and as per best Engineering practice.
- 9.4 No variations from, additions to and omissions from the items of work shall vitiate the contract.

All such variations, additions, substitutions etc shall be decided as per the terms of the contract agreement.

- 9.5 Child Labour is strictly prohibited.
- 9.6 Water required for construction shall be arranged by the contractor. No water shall be supplied by the University and bore well / open wells etc shall not be permitted inside the campus.
- 9.6.1 The contractor should ensure presence of two technical staff to avail their services in the University Campus in all working days with cell phone, two wheeler, required tools and on Uniform while on duty. That labour cost also includes in the item of AMC services.
- 9.6.2 All the window/split air conditioning units should be serviced at least minimum 4 times during the period of contract.
- 9.6.3. At least one third of AC units (window /split AC units) should be serviced each month as may be directed by AE(E).

#### 9.7 Protection for Environment

- 9.7.1 The debris / construction waste and other waste generated from the work spot should not be thrown in the Campus. All waste and debris material should be taken out of the campus and disposed off in a legal and environmental friendly way.
- 9.7.2 All construction materials should be stored only at places earmarked by the engineer-incharge. Material like cement, aggregate, steel etc should not be stored in buildings that are in use. If any material is stored in an unauthorized location the same will be removed at the cost of the contractor.
- 9.7.3 Necessary display boards indicating the following shall be displayed in a conspicuous place near the work spot.

Name of the work

Name of the contractor and Contact Number

Tendered cost

Date of start and stipulated date of completion

AE and JE in charge for the work and Contact number

- 9.7.4 A Suggestion box should be kept near the above said board.
- 9.7.5 For intercarting of various materials animal drawn vehicles are strictly prohibited.
- 9.7.6 Preparation of concrete and mortars on the roads, pavements, under the building bare floors is strictly prohibited.
- 9.7.7 No vegetation inside the campus should be damaged.
- 9.7.8 Drinking water requirement of the labour should be arranged by the contractor and they should be instructed not to misuse the facilities available in the various buildings.
- 9.7.9 All labour should be dressed properly while attending to work. Wearing loose clothss like dhotis, lungies should be avoided to the extent possible.
- 9.7.10 No labour camps shall be permitted inside the Pondicherry University campus. Workers should be made to confine themselves to the work areas and should not wander in to the near by areas / buildings/ forests.
- 9.7.11 while transporting the materials along the road, spillage of material should be avoided. if any spillage occurs the same should be got cleaned immediately.
- 9.7.12 Toilet facilities for the workers should be provided within the designated construction area. Any violation of the above will attract levy of compensation by the engineer-in-charge on the contractor.

#### 9.8. Safety at the Site

The contractor must appoint a full time qualified person as safety-in-charge for taking care of implementation of the safety system. The contractor shall submit the Project Safety Plan stating the methodology of implementation of systems to ensure the safe and environment friendly work place.

The Safety Plan must include the following:

# 9.8.1 Organization Chart

Reporting relationship of the safety function in a flow chart

# 9.8.2 Safety Committee

Structure – Chairman, secretary and committee members – Roles & Responsibilities

Applicable Statutory requirements, standards and codes related to safety and its adherence

# 9.8.3 General safety rules and regulations concerning

Use of personal protective equipment and safety devices relevant to site activities

Awareness and Training Programs Motivational schemes and programs Access, Egress and workstation safety

Safe use of construction power supply and upkeep / maintenance of installations

Work permit systems

Use, maintenance and inspection of Plant & machinery

Scaffold & formwork norms

Use, maintenance and inspection of Lifting Tools

Fire Protection and prevention

Emergency preparedness

Status of Safety implementation at site shall be discussed in the Weekly Review meeting. Tenderer must submit the safety statistics every month in the enclosed format.

Merit Certificate will be issued for the achievement of safety mile stones like 0.5 million safe man hours, one million safe man hours, 1.5 million safe man hours and so on.

The General Guidelines governing the safety implementation shall include the following Rules, while preparing the safety plan.

- 9.8.3.1 No child labour shall be employed in the work
- 9.8.3.2 All the workmen shall undergo Safety Induction, screening before engaging them on the job. Physical fitness of the person to certain critical jobs like working at height or other dangerous locations should be ensured before engaging the person on work.
- 9.8.3.3 Smoking is strictly prohibited at workplace.
- 9.8.3.4 Sub-contractors shall ensure adequate supervision at workplace. They shall ensure that all persons working under them shall not create any hazard to self or to co-workers.
- 9.8.3.5 Nobody is allowed to work without wearing safety helmet. Chinstrap of safety helmet shall be always on. Drivers, helpers and operators are no exception.
- 9.8.3.6 No one is allowed to work at or more than three meters height without wearing safety belt and anchoring the lanyard of safety belt to firm support preferably at shoulder level.
- 9.8.3.7 No one is allowed to enter into workplace and work at site without adequate foot protection.
- 9.8.3.8 Usage of eye protection equipment shall be ensured when workmen are engaged for grinding, chipping, welding and gas-cutting. For other jobs as and when site safety co-coordinator insists eye protection has to be provided.
- 9.8.3.9 All PPE like Safety shoes, Safety helmet, Safety belt, Safety goggles etc. shall be arranged before starting the job.
- 9.8.3.10 All excavated pits shall be barricaded & barricading to be maintained till the backfilling is done. Safe approach to be ensured in respect of every excavation.
- 9.8.3.11 Adequate illumination at workplace shall be ensured before starting the job at night.
- 9.8.3.12 All the dangerous moving parts of the portable / fixed machinery being used shall be adequately guarded.

- 9.8.3.13 Ladders being used at site shall be adequately secured at bottom and top. Ladders shall not be used as work platforms.
- 9.8.3.14 Erection zone and dismantling zone shall be barricaded and nobody will be allowed to stand under suspended loads.
- 9.8.3.15 Contractors should spray water using Water browser periodically in the site to reduce the dust rising due to wind.
- 9.8.3.16 Horseplay is completely prohibited at workplace. Running at the site is completely prohibited, except in the case of emergency.
- 9.8.3.17 Material shall not be thrown from the height. If required, the area shall be barricaded and one person shall be posted outside the barricading for preventing the trespassers from entering the area.
- 9.8.3.18 Other than electricians, with red helmet, no one is allowed to carry out electrical connections, repairs on electrical equipment or other jobs related thereto.
- 9.8.3.19 All electrical connections shall be made using 3 or 4 core cables, having a earth wire.
- 9.8.3.20 Proper Earthing pits at site to be constructed and the sensitivity must be maintained at less than 1 ohm
- 9.8.3.21 Main panel boards should have MCBs and RCCB / ELCBs (30 mA sensitivity).
- 9.8.3.22 Inserting of bare wires for tapping the power from electrical sockets is completely prohibited.
- 9.8.3.23 All major, minor accidents near work premises to be recorded and reported to the Pondicherry University and the contractor must take necessary steps to avoid the recurrence.
- 9.8.3.24 Scaffoldings used should be of proper construction. No Casuarina pole / bamboo scaffolding is permitted. It should be inspected by competent person(s) before use.
- 9.8.3.25 All tools and tackles shall be inspected before use. Defects to be rectified immediately. No lifting tackle to be used unless it is certified by the competent authority.
- 9.8.3.26 All tools and tackles shall be tested and have an Identification no., SWL and date of next test marked on them.
- 9.8.3.27 A tools and tackles inspection register must be maintained and updated regularly.
- 9.8.3.28 Good housekeeping to be maintained. Passages shall not be blocked with materials. Materials like bricks shall not be stacked to the dangerous height at workplace.
- 9.8.3.29 All the Earth moving vehicles and Equipments used at site should have reverse horn.
- 9.8.3.30 Debris, scrap and other materials to be cleared from time to time from the workplace and at the time of closing of work everyday.

- 9.8.3.31 Adequate firefighting equipment shall be made available at workplace and persons are to be trained in fire fighting techniques with the co-ordination of site safety coordinator.
- 9.8.3.32 All unsafe conditions, unsafe acts identified by contractors, reported by site supervisors and / or safety personnel to be corrected on priority basis.
- 9.8.3.33 No children shall be allowed to enter the workplace.
- 9.8.3.34 Other than the Driver / operator, no one shall travel in a tractor / tough rider etc.
- 9.8.3.35 All the lifting tools and tackles shall be stored properly when not in use.
- 9.8.3.36 Clamps shall be used on Return cables to ensure proper earthing for welding works.
- 9.8.3.37 Return cables shall be used for earthling.
- 9.8.3.38 All the pressure gauges used in gas cutting apparatus shall be in good working condition.
- 9.8.3.39 Proper eye washing facilities shall be made in areas where chemicals are handled.
- 9.8.3.40 Connectors and hose clamps shall be used for making welding hose connections.
- 9.8.3.41 Proper warning boards and caution notices to be displayed at required areas inside the site.
- 9.8.3.42 All cranes must have a trained signal man for signaling.
- 9.8.3.43 All underground cables for supplying construction power shall be routed using conduit pipes.
- 9.8.3.44 Spill trays shall be used to contain the oil spills while transferring /storing them.
- 9.8.3.45 Tapping of power by cutting electric cables in between must be avoided. Proper junction boxes must be used.
- 9.8.3.46 A monthly site safety statistics shall be submitted by the tenderer on the first week of succeeding month to the Engineer in charge, in the perfoma given below.

#### 9.8.3.47 MONTHLY SITE SAFETY STATISTICS

A) TOTAL MANHOURS WORKED DURING THE MONTH

SI.	No.	Des	scription	Number	Man-hour worked	s OT Pe	rformed	Total		
	1 Company Staff									
	2	Subtenderer's Workmen (including security personnel								
		GR.	AND TOTAL OF MANHOU	TOTAL OF MANHOURS WORKED DURING THE MONTH						
B)	То	tal M	an-hours worked since star	t of work						
C)	C) Hours from last reportable Lost time/ injury :									
D)	D) Details of Reportable Lost Time / Injury									
				D			Man days lost			
	,	S. No	Name of Injured	Date of Accident	Resumed duty on	Up to last month (1)	This month (2	Total (2) (1+2)	Claim Status	
Man	day	/s Los	st during the month (Cumula	ative of 2)						
E)	Nun	nber (	of Dangerous Occurrences	: <u>-</u>						
F)	No of Near Miss Cases :				·	Routed through				
Site In charge			Site Safety Co-ordinator / Time Keeper							
Sigı	Signature:				Signature:					

- 9.9 Typical reinforcement detailing of columns and beams to confirm to IS 13920 (seismic detailing) shall be got approved before bending and tying.
- 9.10 One sample quarter including finishing like flooring, water supply, electrical, sanitary fittings etc., shall be completed within 6 months from the date of commencement of the work.
- 9.11 The construction site shall be completely enclosed with GI sheet barricade. The height of barricade shall be 10.0m on the side facing the existing C2 type quarters and 6.0m on other sides.

#### **Proforma of Schedules**

#### SCHEDULE - 'A'

Schedule of Quantities (Price Bid)

#### SCHEDULE - 'B'

Schedule of materials proposed to be issued to the tenderer

#### No material shall be issued to the Tenderer by Pondicherry University

#### SCHEDULE - 'C'

Schedule of tools and plants proposed to be hired to the tenderer

# NO TOOLS AND PLANTS SHALL BE HIRED TO THE CONTRATOR BY Pondicherry University

#### SCHEDULE - 'D'

Extra schedules for specific requirements / documents for the work, if any.

- 1. No labour shall be permitted to stay in the campus
- 2. The construction activities should be restricted within the area earmarked around the proposed blocks.

### SCHEDULE - 'E'

Reference to General conditions of contract relating to CPWD works.

#### SCHEDULE - 'F'

Name of work: "Comprehensive AMC for Window/Split Air conditioners in Zone-II area of University Campus for the year 2015-16"

Estimated cost or work : Rs. 4,23,389/-

Earnest money Rs. 8,468/-

i) Performance Guarantee 10% of tendered value

### **General Rules and Directions:**

Officer inviting tender Registrar, Pondicherry University

#### **Definition**

2 (i) Engineer in charge Assistant Engineer (E) 2(ii) Accepting authority Registrar, Pondicherry University

2 (iii) Standard schedule of rates CPWD DSR 2014

2 (iv) Department Pondicherry University

9(ii) Standard CPWD contract form CPWD form 8 with modification and

correction

Clause 2

Authority for fixing compensation under clause 2. Assistant Engineer (E)

Clause 2a

Whether clause 2a shall be applicable

Yes applicable

Clause 5

Number of days from the date of issue of letter of acceptance for reckoning date of start 15 Days Time allowed for execution of work 12 Months

Authority to give fair and reasonable ASSISTANT ENGINEER(E) Extension of work for completion of work PONDICHERRY UNIVERSITY

Clause 7

Gross work to be done together with net Payment / adjustment of advances for material collected, if any, since the last such payments for being eligible to interim payment.

Clause 10 CA and 10CC

Not applicable

Clause 11

Specification to be followed for execution of work

Particular specifications CPWD Specifications for Heating ventilation and air conditioning works 2004,general specifications for electrical works part – I 2004, , general specifications for electrical works part-IV Sub Station 20, American Society of Heating, Refrigeration and air conditioning Engineer guides, Data book and standards, Air conditioning and Refrigeration Institute. National Electrical code.

BIS codes, Manufacturer's specifications, General Engineering Practice.

(The specification mentioned earlier will prevail over the one mentioned later unless decided other wise by the Engineer in Charge)

Clause 12

Deviation limit beyond which clauses 50%

Clause 16

Competent Authority for Deciding reduced rates

ASSISTANT ENGINEER (E),
P ONDICHERRY UNIVERSITY

# Clause 36(i)

Designation	Minimum qualification and experience required	Discipline	Rate of recovery per month
	Diploma holder with 3 years experience		Rs.10000

#### 11.0 MEASUREMENT & PREPARATION OF BILL

The conventional measurement book will be used for recording the measurements taken in the presence of the contractor for billing purposes. If it is decided by the University to follow computerized billing later on, then the contractor shall be submitting the computerized bill following the procedures given below.

# 11.1 Computerized Bill to be submitted by the Contractor

Conventional measurement book shall be replaced by a bound volume of computerized measurements to be furnished by the contractor, duly machine numbered for the pages, and with MB number given by the Institute. The pages of these measurements books shall be of A4 size. All these measurements books shall be serially numbered and a record of these computerized measurements book shall be maintained in a separate register. The same format as in existing measurement books shall be used for the computerized measurement books. The measurements shall be carried forward from the previous recorded measurement as per the existing procedure.

## 11.2 Mode of measurements

The measurements shall be recorded and entered in the computerized format in the first instance by the contractor and a hard copy shall be submitted to the University. All entries shall be made as per the existing procedure.

This measurements shall then be 100% checked by the Technical Assistant/Junior Engineer, and test checked by the Asst. Engineer as per the existing procedure. If Technical Assistant/Junior Engineer is not available, then by the Asst. Engineer

The contractor shall incorporate all such changes or corrections, as may be done during the checks / test checks, to his draft computerized measurements and submit the final computerized measurements in the form of a book, duly hard bound in red colour on the lines of the conventional measurements books now in use with its pages machine numbered.

The Junior Engineer/Technical Assistant/ Asst. Engineer shall check the computerized measurements to ensure that all the changes or corrections made by them earlier in the draft measurements are correctly incorporated in the final measurements. This book shall be treated as computerized measurement.

The Junior Engineer/ Technical Assistant/ Asst. Engineer, shall record the necessary certificate for their checks and test checks as per the existing procedure in this computerized measurement books.

The computerized measurements book shall be allotted a serial number as per the register of computerized measurement books maintained by Pondicherry University.

# 11.3 Cuttings / over writing/ insertions in the computerized measurements books are not allowed.

The computerized measurements books given by the contractor, duly bound, with its pages numbered, shall have no cutting or over writing.

In case of any error, computerized misprints shall be cancelled and the contractor shall re submit a fresh computerized measurements books.

This should be done before submission of corresponding computerized billing

The contractor shall submit as many copies of computerized measurement books as may be required and as specified in the NIT / contract for the purpose of reference and recording the various office of the department.

# 11.4 Computerized bill to be submitted by the contractor

The contractor shall submit his running and final bill in a computerized form in the same format as the existing conventional bills with all the pages machine numbered and hard bound made and with all the entries as per the existing procedure. The contractor shall submit as many copies of the computerized bills as may required for the purpose of reference and record. The bill shall be carried forward from the previous running account bill as per the existing procedure. The computerized bill may be processed as per the existing procedure.

#### 12.0 ADDENDA & CORRIGENDA TO CLAUSES OF CONTRACT

# 12.1 Clause 25 "Settlement of Disputes & Arbitration" shall be substituted by the following.

#### 12.1.1Settlement of Disputes & Arbitration

Except where otherwise provided in the contract all question and disputes relating to the meaning of the specifications, designs, drawings and instructions here-in before mentioned and as to the quality of workmanship or materials used or as to any other question, claim, right, matter or thing whatsoever in any way arising out of or relating to the contract, designs, drawings, specifications, estimates, instructions, orders of these conditions or otherwise concerning the works or the execution or failure to execute the same whether arising during the progress of work or after the cancellation, termination, completion or abandonment thereof shall be dealt with as mentioned herein after.

12.1.1.1 If the contractor considers any work demanded of him to be outside the requirements of the contract, or disputed any drawings, record or decision given in writing by the Engineer-in-charge or any matter in connection with or arising out of the Contract or carrying out of the work, to be unacceptable, he shall promptly within 15 days, request the Assistant Engineer (E) in writing for written instruction or decision. Thereupon, the Assistant Engineer (E) shall give his written instructions or decisions within a period of one month from the receipt of the contractor's letter. If the Assistant Engineer (E) fails to give his instructions or decisions in writing within the aforesaid period or if the contractor is dissatisfied with the instructions or decision of the Assistant Engineer (E), the contractor may, within 15 days of the receipt of Assistant Engineer's decision appeal to the Registrar, Pondicherry University who shall afford an opportunity to the contractor to be heard, if the matter so desires and to offer evidence in support of his appeal. The Registrar Pondicherry

University shall give his decision within 30 days of receipt of contractor's appeal.

- 12.1.1.2 If the contractor is dissatisfied with the decision of the Assistant Engineer(E), Pondicherry University he may within a period of 15 days of the receipt of the decision appeal to the Registrar, Pondicherry University who shall afford an opportunity to the contractor to be heard, if the matter so desires and to offer evidence in support of his appeal. The Registrar, Pondicherry University shall give his decision within 30 days of receipt of contractor's appeal.
- 12.1.1.3 If the contractor is dissatisfied with the decision of the Registrar, Pondicherry University, he shall within 30 days of the receipt of the decision shall give notice to the Registrar, Pondicherry University for appointment of an arbitrator to adjudicate his claims, failing which the said decision of the Registrar, Pondicherry University shall be final and binding on the contractor.
- Except where the decision has become final, binding and conclusive in terms of Sub para (1.1) above, disputes or difference shall be referred for adjudication through a sole arbitrator appointed by the Registrar, Pondicherry University. If the arbitrator so appointed is unable or unwilling to act or resigns his appointment or vacates his office due to any reason whatsoever, another sole arbitrator shall be appointed in the manner aforesaid. Such person shall proceed with the reference from the stage at which it was left by his predecessor. It is a term of this contract that the party invoking arbitration shall give list of disputes with amounts claimed in respect of each such dispute along with the notice for appointment of arbitrator and giving reference to the rejection by the Registrar, Pondicherry University of the appeal. It is also a term of this contract that no person other than a person appointed by such Registrar, Pondicherry University, as aforesaid should act as arbitrator. It is also a term of this Contract that if the contractor does not make any demand for appointment of arbitrator in respect of any claims in writing as aforesaid within 120 days of receiving the intimation from the Engineer-in-charge that the final bill is ready for payment, the claim of the contractor shall be deemed to have been waived and absolutely barred and Pondicherry University shall be discharged and released of all liabilities under the Contract in respect of these claims. The arbitration shall be conducted in accordance with the provisions of the Arbitration and Conciliation Act 1996 (26 of 1996) or any statutory modifications or reenactment thereof and the rules made there under and for the time being in force shall apply to the arbitration proceeding under this clause. It is also term of this Contract that the arbitrator shall adjudicate on only such disputed claims as are referred to him by the Registrar, Pondicherry University and give separate award against each dispute and claim referred to him and in all cases where the total amount of the claims by any party exceeds Rs.1,00,000/- the arbitrator shall give reasons for the award. It is also a term of the Contract that if any fees are payable to the arbitrator, these shall be paid equally by both the parties. It is also a term of the Contract that the arbitrator shall be deemed to have entered on the reference on the date of issues notice to both the parties calling them to submit their statement of claims and counter statement of claims. The venue of the arbitration shall be such place as may be fixed by the arbitrator in his sole discretion. The fees, if any, of the arbitrator shall, if required to be paid before the award is made and published, be paid half and half by each of the parties. The cost of the reference and of the award (including the fees, if any, of the arbitrator) shall be in the discretion of the arbitrator who may direct to any by whom and in what manner, such costs or any part thereof shall be paid and fix or settle the amount of costs to be so paid.

# 12.2 Clause 37 "Levy / Taxes Payable by Contractor"

Para (i) shall be substituted as under

"Sales tax including VAT if any or any other tax including Service Tax on materials as well as on Labour and Works including the element of service taxes if any in respect of this Contract shall be payable by the Contractor and Pondicherry University shall not entertain any claim whatsoever in this respect."

#### C.P.W.D. SAFETY CODE

- 1. Suitable scaffolds should be provided for workmen for all works that cannot safely be done from the ground, or from solid construction. If ladder is used for carrying materials as well suitable footholds and hand-hold shall be provided on the ladder and the ladder shall be given an inclination not steeper than 14 to 1 (14 horizontal and 1 vertical.)
- 2. Scaffolding of staging more than 3.6 mt. (12ft.) above the ground or floor, swung or suspended from an overhead support or erected with stationary support shall have a guard rail properly attached or bolted, braced and otherwise secured at least 90 cm. (3ft.) high above the floor or platform of such scaffolding or staging and extending along the entire length of the outside and ends there of with only such opening as may be necessary for the delivery of materials. Such scaffolding or staging shall be so fastened as to prevent it from swaying from the building or structure.
- 3. Working platforms, gangways and stairways should be so constructed that they should not sag unduly or unequally, and if the height of the platform or the gangway or the stairway is more than 3.6 m (12ft.) above ground level or floor level, they should be closely boarded, should have adequate width and should be suitably fastened as described in (2) above.
- 4. Every opening in the floor of a building or in a working platform shall be provided with suitable means to prevent the fall of person or materials by providing suitable fencing or railing whose minimum height shall be 90 cm.(3ft.)
- 5. Safe means of access shall be provided to all working platforms and other working places. Every ladder shall be securely fixed. No portable single ladder shall be over 9m. (30ft.) in length while the width between side rails in rung ladder shall in no case be less than 29 cm. (11.5") for ladder upto and including 3 m. (10 ft.) in length. For longer ladders, this width should be increased at least 1/4" for each additional 30 cm/1 foot of length. Uniform step spacing of not more than 30 cm shall be kept. Adequate precautions shall be taken to prevent danger from electrical equipment. No materials on any of the sites or work shall be so stacked or placed as to cause danger or inconvenience to any person or the public. The contractor shall provide all necessary fencing and lights to protect the public from accident and shall be bound to bear the expenses of defence of every suit, action or other proceedings at law that may be brought by any person for injury sustained owing to neglect of the above precautions and to pay any damages and cost which may be awarded in any such suit, action or proceedings to any such person or which may, with the consent of the contractor, be paid to compensate any claim by any such person.
- 6. Excavation and Trenching All trenches of 1.2 m. (4ft.) or more in depth, shall at all times be supplied with at least one ladder for each 30 m. (100 ft.) in length or fraction thereof Ladder shall extend from bottom of the trench to at least 90 cm. (3ft.) above the surface of the ground. The side of the trenches which are 1.5 m. (5ft.) or more in depth shall be stepped back to give suitable slope or securely held by timber bracing, so as to avoid the danger of sides collapsing. The excavated materials shall not be placed within 1.5 m. (5ft.) of the edges of the trench or half of the depth of the trench whichever is more. Cutting shall be done from top to bottom. Under no circumstances undermining or undercutting shall be done.
- 7. Demolition Before any demolition work is commenced and also during the progress of the work.
- I. All roads and open areas adjacent to the work site shall either be closed or suitably protected
- II. No electric cable or apparatus which is liable to be a source of danger or a cable or apparatus used by the operator shall remain electrically charged.

- III. All practical steps shall be taken to prevent danger to persons employed from risk of fire or explosion or flooding. No floor, roof or other part of the building shall be so overloaded with debris or materials as to render it unsafe.
- 8. All necessary personal safety equipment as considered adequate by the Engineer-in-Charge should be kept available for the use of the person employed on the site and maintained in a condition suitable for immediate use, and the contractor should take adequate steps to ensure proper use of equipment by those concerned:- The following safety equipment shall invariably be provided.
- i. Workers employed on mixing asphaltic materials, cement and lime mortars shall be provided with protective footwear and protective gloves and goggles.
- ii. Those engaged in white washing and mixing or stacking of cement bags or any material which is injurious to the eyes, shall be provided with protective gloves and goggles.
- iii. Those engaged in welding works shall be provided with welder's protective eyeshields.
- iv. Stone breaker shall be provided with protective goggles and protective clothing and seated at sufficiently safe intervals.
- v. When workers are employed in sewers and manholes, which are in active use, the contractors shall ensure that the manhole covers are opened and ventilated atleast for an hour before the workers are allowed to get into the manholes, and the manholes so opened shall be cordoned off with suitable railing and provided with warning signals or boards to prevent accident to the public. In addition, the contractor shall ensure that the following safety measures are adhered to:
- a) Entry for workers into the line shall not be allowed except under supervision of the JE / TA or any other higher officer.
- b) At least 5 to 6 manholes upstream and downstream should be kept open for at least 2 to 3 hours before any man is allowed to enter into the manhole for working inside.
- c) Before entry, presence of Toxic gases should be tested by inserting wet lead acetate paper which changes colour in the presence of such gases and gives indication of their presence.
- d) Presence of Oxygen should be verified by lowering a detector lamp into the manhole. In case, no Oxygen is found inside the sewer line, workers should be sent only with Oxygen kit.
- e) Safety belt with rope should be provided to the workers. While working inside the manholes such rope should be handled by two men standing outside to enable him to be pulled out during emergency.
- f) The area should be barricaded or cordoned of by suitable means to avoid mishaps of any kind. Proper warning signs should be displayed for the safety of the public whenever cleaning works are undertaken during night or day.
- g) No smoking or open flames shall be allowed near the blocked manhole being cleaned.
- h) The malba obtained on account of cleaning of blocked manholes and sewer lines should be immediately removed to avoid accidents on account of slippery nature of the malba.
- i) Workers should not be allowed to work inside the manhole continuously. They should

be given rest intermittently. The Engineer-in-Charge may decide the time up to which a worker may be allowed to work continuously inside the manhole.

- i) Gas masks with Oxygen Cylinder should be kept at site for use in emergency.
- k) Air-blowers should be used for flow of fresh air through the manholes. Whenever called for portable air blowers are recommended for ventilating the manholes. The Motors for these shall be vapour proof and of totally enclosed type. Non sparking gas engines also could be used but they should be placed at least 2 metres away from the opening and on the leeward side protected from wind so that they will not be a source of friction on any inflammable gas that might be present.
- I) The workers engaged for cleaning the manholes/sewers should be properly trained before allowing to work in the manhole.
- m) The workers shall be provided with Gumboots or non sparking shoes bump helmets and gloves non sparking tools safety lights and gas masks and portable air blowers (when necessary). They must be supplied with barrier cream for anointing tile limbs before working inside the sewer lines.
- n) Workmen descending a manhole shall try each ladder stop or rung carefully before putting his full weight on it to guard against insecure fastening due to corrosion of the rung fixed to manhole well.
- o) If a man has received a physical injury, he should be brought out of the sewer immediately and adequate medical aid should be provided to him.
- p) The extent to which these precautions are to be taken depend on individual situation but the decision of the Engineer-in-Charge regarding the steps to be taken in this regard in an individual case will be final.
- vi) The following precaution should be taken while painting:
- a) White lead, sulphate of lead or product containing these pigment, shall not be used in painting operation except in the form of pastes or paint ready for use.
- b) Measures shall be taken, wherever required in order to prevent danger arising from the application of a paint in the form of spray.
- c) Measures shall be taken, wherever practicable, to prevent danger arising out of dust caused by dry rubbing down and scraping.
- d) Adequate facilities shall be provided to enable working painters to wash during and on cessation of work.
- e) Overall shall be worn by working painters during the whole of working period.
- f) Suitable arrangement shall be made to prevent clothing put off during working hours being spoiled by painting materials.
- g) Cases of lead poisoning and suspected lead poisoning shall be notified and shall be subsequently verified by medical man appointed by Institute.
- h) Institute may require, when necessary medical examination of workers.
- i) Instructions with regard to special hygienic precautions to be taken in the painting trade shall be distributed to working painters.
- 10) When the work is done near any place where there is risk of drowning, all necessary equipments should be provided and kept ready for use and all necessary steps taken for prompt rescue of any person in danger and adequate provision, should be made for prompt first aid treatment of all injuries likely to be obtained during the course of the work.

- 11) Use of hoisting machines and tackle including their attachments, anchorage and supports shall conform to the following standards or conditions:
- i) (a) These shall be of good mechanical construction, sound materials and adequate strength and free from patent defects and shall be kept repaired and in good working order.
- (b) Every rope used in hoisting or lowering materials or as a means of suspension shall be of durable quality and adequate strength, and free from patent defects.
- ii) Every crane driver or hoisting appliance operator, shall be properly qualified and no person under the age of 21 years should be in charge of any hoisting machine including any scaffolding winch or give signals to operator.
- iii) In case of every hoisting machine and of every chain ring hook, shackle swivel and pulley block used in hoisting or as means of suspension, the safe working load shall be ascertained by adequate means. Every hoisting machine and all gear referred to above shall be plainly marked with the safe working load. In case of a hoisting machine having a variable safe working load each safe working load and the condition under which it is applicable shall be clearly indicated. No part of any machine or any gear referred to above in this paragraph shall be loaded beyond the safe working load except for the purpose of testing.
- iv) The contractor shall notify the safe working load of the machine to the Engineer-in-Charge whenever he brings any machinery to site of work who may get it verified.
- 12. Motors, gearing, transmission, electric wiring and other dangerous parts of hoisting appliances should be provided with efficient safeguards. Hoisting appliances should be provided with such means as will reduce to the minimum the risk of accidental descent of the load. Adequate precautions should be taken to reduce to the minimum the risk of any part of a suspended load becoming accidentally displaced. When workers are employed on electrical installations which are already energised, insulating mats, wearing apparel, such as gloves, sleeves and boots as may be necessary should be provided. The worker should not wear any rings, watches and carry keys or other materials which are good conductors of electricity.
- 13. All scaffolds, ladders and other safety devices mentioned or described herein shall be maintained in safe condition and no scaffold, ladder or equipment shall be altered or removed while it is in use. Adequate washing facilities should be provided at or near places of work.
- 14. These safety provisions should be brought to the notice of all concerned by display on a notice board at a prominent place at work spot. The person responsible for compliance of the safety code shall be named therein by the contractor.
- 15. To ensure effective enforcement of the rules and regulations relating to safety precautions the arrangements made by the contractor shall be open to inspection by the Engineer-in-Charge or his representatives.
- 16. Notwithstanding the above clauses from (1) to (15) there is nothing in these to exempt the contractor from the operations of any other Act or Rule in force in the Republic of India.

#### 1. APPLICATION

These rules shall apply to all buildings and construction works in Pondicherry University in which twenty or more workers are ordinarily employed or are proposed to be employed in any day during the period during which the contract work is in progress.

#### 2. Definition

Work place means a place where twenty or more workers are ordinarily employed in connection with construction work on any day during the period during which the contract work is in progress.

#### 3. FIRST AID FACILITIES

- i) At every work place there shall be provided and maintained, so as to easily accessible during working hours, first-aid boxes at the rate of not less than one box for 150 contract labour or part thereof ordinarily employed.
- ii) The first-aid box shall be distinctly marked with a red cross on white back ground and shall contain the following equipment
- a) For work places in which the number of contract labour employed does not exceed 50

Each first-aid box shall contain the following equipments :-

- 1. 6 small sterilised dressings
- 2. 3 medium size sterilized dressings.
- 3. 3 large size sterilized dressings.
- 4. 3 large sterilized burn dressings.
- 5. 1 (30ml) bottle containing a two per cent alcoholic solution of iodine
- 6. 1 (30 ml) bottle containing salvolatile having the dose and mode of administration indicated on the label.
- 7. 1 snake bite lancet.
- 8. 1 (30 gms.) bottle of potassium permanganate crystals
- 9. 1 pair scissors
- 10. 1 copy of the first-aid leaflet issued by the Director General, Factory

Advice Service and Labour Institutes, Government of India.

- 11. 1 box containing 100 tablets (each of 5 gms) of aspirin.
- 12. Ointment for burns
- 13. A bottle of suitable surgical antiseptic solution.
- b) For work places in which the number of contract labour exceed 50.Each first-aid box shall contain the following equipments.
- 12 small sterilised dressings.
- 6 medium size sterilised dressings.
- 6 large size sterilised dressings.
- 4. 6 large size sterilised burn dressings.
- 5. 6 (15 gms.) packets sterilised cotton wool.
- 6. 1 (60 ml.) bottle containing a two per cent alcoholic solution of iodine.

- 7. 1 (60 ml.) bottle containing salvolatile having the dose and mode of administration indicated on the label.
- 8. 1 roll of adhesive plaster.
- 9. 1 snake bite lancet.
- 10. 1 (30 gms) bottle of potassium permanganate crystals.
- 11. 1 pair scissors
- 12. 1 copy of the first-aid leaflet issued by the director General Factory Advice Service and labour Institutes / government of India.
- 13. A bottle containing 100 tablets (each of 5 gms) of aspirin.
- 14. Ointment for burns.
- 15. A bottle of suitable surgical antiseptic solution.
- iii) Adequate arrangements shall be made for immediate recoupment of the equipment when necessary. iv) Nothing except the prescribed contents shall be kept in the First-aid box.
- v) The first-aid box shall be kept in charge of a responsible person who shall always be readily available during the working hours of the work place.
- vi) A person in Charge of the First aid box shall be a person trained in First-aid treatment, in the work places where the number of contract labour employed is 150 or more.
- vii) In work places where the number of contract labour employed is 500 or more and hospital facilities are not available within easy distance from the works. first-aid posts shall be established and run by a trained compounder. The compounder shall be on duty and shall be available at all hours when the workers are at work.
- viii) Where work places are situated in places which are not towns or cities, a suitable motor transport shall be kept readily available to carry injured person or person suddenly taken ill to the nearest hospital.

#### 4. DRINKING WATER

- (i) In every work place, there shall be provided and maintained at suitable places, easily accessible to labour, a sufficient supply of cold water fit for drinking.
- (ii) Where drinking water is obtained from an intermittent public water supply, each work place shall be provided with storage where such drinking water shall be stored.
- (iii) Every water supply or storage shall be at a distance of not less than 50 feet from any latrine drain or other source of pollution. Where water has to be drawn from an existing well which is within such proximity of latrine, drain or any other source of pollution, the well shall be properly chlorinated before water is drawn form it for drinking. All such wells shall be entirely closed in and be provided with a trap door which shall be dust and waterproof.
- (iv) A reliable pump shall be fitted to each covered well, the trap door shall be kept locked and opened only for cleaning or inspection which shall be done at least once a month.

#### 5. WASHING FACILITIES

- I. In every work place adequate and suitable facilities for washing shall be provided and maintained for the use of contract labour employed therein.
- II. Separate and adequate cleaning facilities shall be provided for the use of male and female workers. Such facilities shall be conveniently accessible and shall be kept in clean and hygienic condition.

#### 6. LATRINES AND URINALS

i) Latrines shall be provided in every work place on the following scale namely:

- a) Where female are employed there shall be at least one latrine for every 25 females.
- b) Where males are employed, there shall be at least one latrine for every 25 males. Provided that where the number of males or females exceeds 100, it shall be sufficient if there is one latrine for 25 males or females as the case may be upto the first 100, and one for every 50 thereafter.
- ii. Every latrine shall be under cover and so partitioned off as to secure privacy, and shall have a proper door and fastenings.
- iii. Construction of latrines: The inside walls shall be constructed of masonry or some suitable heat- resisting non-absorbent materials and shall be cement washed inside and outside at least once a year, Latrines shall not be of a standard lower than borehole system. Iv.
- a) Where workers of both sexes are employed, there shall be displayed outside each block of latrine and urinal, a notice in the language understood by the majority of the workers "For Men only" or "For Women Only" as the case may be.
- b) The notice shall also bear the figure of a man or of a woman, as the case may be.
- v) There shall be at least one urinal for male workers upto 50 and one for female workers upto fifty employed at a time, provided that where the number of male or female workmen, as the case may be exceeds 500, it shall be sufficient if there is one urinal for every 50 males or females upto the first 500 and one for every 100 or part thereafter.
- vi) a) The latrines and urinals shall be adequately lighted and shall be maintained in a clean and sanitary condition at all times.
- b)Latrines and urinals other than those connected with a flush sewage system shall comply with the requirements of the Public Health Authorities.
- vii) Water shall be provided by means of tap or otherwise so as to be conveniently accessible in or near the latrines and urinals.
- viii) Disposal of excreta :- Unless otherwise arranged for by the local sanitary authority, arrangements for proper disposal of excreta by incineration at the work place shall be made by means of a suitable incinerator. Alternately excreta may be disposed of by putting a layer of night soil at the bottom of a pucca tank prepared for the purpose and covering it with a 15 cm. layer of waste or refuse and then covering it with a layer of earth for a fortnight (when it will turn to manure).
- ix) The contractor shall at his own expense, carry out all instructions issued to him by the Engineer-in-Charge to effect proper disposal of night soil and other conservancy work in respect of the contractor's workmen or employees on the site. The contractor shall be responsible for payment of any charges which may be levied by Municipal or Cantonment Authority for execution of such on his behalf.

#### 7. PROVISION OF SHELTER DURING REST

At every place there shall be provided, free of cost, four suitable sheds, two for meals and the other two for rest separately for the use of men and women labour, The height of each shelter shall not be less than 3 meters (10ft.) from the floor level to the lowest part of the roof. These shall be kept clean and the space provided shall be on the basis of 0.6 sq.m. (6 sft) per head.

Provided that the Engineer-in-Charge may permit subject to his satisfaction, a portion of the building under construction or other alternative accommodation to be used for the purpose.

#### 8. CRECHES

(i) At every work place, at which 20 or more women worker are ordinarily employed, there shall be provided two rooms of reasonable dimensions for the use of their children under the

age of six years. One room shall be used as a play room for the children and the other as their bedroom. The rooms shall be constructed with specifications as per clause 19H (ii) a, b & c.

- (ii) The rooms shall be provided with suitable and sufficient openings for light and ventilation. There shall be adequate provision of sweepers to keep the places clean.
- (iii) The contractor shall supply adequate number of toys and games in the play room and sufficient number of cots and beddings in the bed room.
- (iv) The contractor shall provide one ayaa to look after the children in the creche when the number of women workers does not exceed 50 and two when the number of women workers exceeds 50.
- (v) The use of the rooms earmarked as creches shall be restricted to children, their attendants and mothers of the children.

#### 9. CANTEENS

- (i) In every work place where the work regarding the employment of contract labour is likely to continue for six months and where in contract labour numbering one hundred or more are ordinarily employed, an adequate canteen shall be provided by the contractor for the use of such contract labour.
- (ii) The canteen shall consist of at least a dining hall, kitchen, storeroom, pantry and washing places separately for workers and utensils.
- (iii) The canteen shall be sufficiently lighted at all times when any person has access to it.
- (iv) The floor shall be made of smooth and impervious materials and inside walls shall be lime-washed or colour washed at least once in each year.
- (v) Provided that the inside walls of the kitchen shall be lime-washed every four months.
- (vi) The premises of the canteen shall be maintained in a clean and sanitary condition.
- (vii) Waste water shall be carried away in suitable covered drains and shall not be allowed to accumulate so as to cause a nuisance.
- (viii) Suitable arrangements shall be made for the collection and disposal of garbage.
- (ix) The dining hall shall accommodate at a time 30 per cent of the contract labour working at a time.
- (x) The floor area of the dining hall, excluding the area occupied by the service counter and any furniture except tables and chairs shall not be less than one square meter (10 sft) per diner to be accommodated as prescribed in sub-Rule 9.
- (xi) a) A portion of the dining hall and service counter shall be partitioned off and reserved for women workers in proportion to their number.
- b) Washing places for woman shall be separate and screened to secure privacy.
- (xii) Sufficient tables, stools, chair or benches shall be available for the number of diners to be accommodated as prescribed in sub-Rule 9.
- (xiii) a) 1. There shall be provided and maintained sufficient utensils, crockery, furniture and any other equipment necessary for the efficient running of the canteen.
- 2. The furniture utensils and other equipment shall be maintained in a clean and hygienic condition.
- b) 1. Suitable clean clothes for the employees serving in the canteen shall be provided and maintained.
- 2. A service counter, if provided, shall have top of smooth and impervious material.

- 3. Suitable facilities including an adequate supply of hot water shall be provided for the cleaning of utensils and equipments.
- xiv. The food stuffs and other items to be served in the canteen shall be in conformity with the normal habits of the contract labour.
- xv. The charges for food stuffs, beverages and any other items served in the canteen shall be based on 'No profit, No loss' and shall be conspicuously displayed in the canteen.
- xvi. In arriving at the price of foodstuffs, and other article served in the canteen, the following items shall not be taken into consideration as expenditure namely:
- a) The rent of land and building.
- b) The depreciation and maintenance charges for the building and equipments provided for the canteen.
- c) The cost of purchase, repairs and replacement of equipments including furniture, crockery, cutlery and utensils.
- d) The water charges and other charges incurred for lighting and ventilation.
- e) The interest and amounts spent on the provision and maintenance of equipments provided for the canteen.
- xvii) The accounts pertaining to the canteen shall be audited once every 12 months by registered accountants and auditors.

### 10. ANTI-MALARIAL PRECAUTIONS

The contractor shall at his own expense, conform to all anti-malarial instructions given to him by the Engineer-in-Charge including the filling up of any borrow pits which may have been dug by him.

**11.** The above rules shall be incorporated in the contracts and in notices inviting tenders and shall from an integral part of the contracts.

### 12. AMENDMENTS

University may, from time to time, add to or amend these rules and issue directions - it may consider necessary for the purpose of removing any difficulty which may arise in the administration thereof.

### C.P.W.D. Contractor's Labour Regulations

### 1. Short title

These regulations may be called the C.P.W.D./PWD (DA) Contractors Labour Regulations.

### 2. DEFINITIONS

- 1) Workman means any person employed by contractor directly or indirectly through a subcontractor with or without the knowledge of the Institute to do any skilled, semiskilled or unskilled manual, supervisory, technical or clerical work for hire or reward, whether the terms of employment are expressed or implied but does not include any person:
- a) Who is employed mainly in a managerial or administrative capacity: or
- b) Who, being employed in a supervisory capacity exercises either by the nature of the duties attached to the office or by reason of powers vested in him, functions mainly of managerial nature:or

- c) Who is an out worker, that is to say, person to whom any article or materials are given out by or on behalf of the principal employers to be made up cleaned, washed, latered, ornamental finished, repaired adopted or otherwise processed for sale for the purpose of the trade or business of the principal employers and the process is to be carried out either in the home of the out worker or in some other premises, not being premises under the control and management of the principal employer. No person below the age of 14 years shall be employed to act as a workman.
- **ii)** Fair wages means wages whether for time or piece work fixed and notified under the provisions of the

Minimum Wages Act from time to time.

- **iii) Contractors** shall include every person who undertakes to produce a given result other than a mere supply of goods or articles of manufacture through contract labour or who supplies contract labour for any work and includes a subcontractor.
- iv) Wages shall have the same meaning as defined in the Payment of Wages Act.
- i) Normally working hours of an adult employee should not exceed 9 hours a day. The working day shall be so arranged that inclusive of interval for rest, if any, it shall not. spread over more than 12 hours on any day.
- ii) When an adult worker is made to work for more than 9 hours on any day or for more than 48 hours in any week, he shall be paid over time for the extra hours put in by him at double the ordinary rate of wages.
- a) Every worker shall be given a weekly holiday normally on a Sunday, in accordance with the provisions of the Minimum Wages (Central) Rules 1960 as amended from time to time irrespective of whether such worker is governed by the Minimum Wages Act or not.
- b) Where the minimum wages prescribed by the Government under the minimum Wages Act are not inclusive of the wages for the weekly day of rest, the worker shall be entitled to rest day wages at the rate applicable to the next preceding day, provided he has worked under the same contractor for a continuous period of not less than 6 days.
- c) Where a contractor is permitted by the Engineer-in-Charge to allow a worker to work on a normal weekly holiday, he shall grant a substituted holiday to him for the whole day on one of the five days immediately before or after the normal weekly holiday and pay wages to such worker for the work performed on the normal weekly holiday at overtime rate.

### 4. DISPLAY OF NOTICE REGARDING WAGES ETC.

The contractor shall before he commences his work on contract, display and correctly maintain and continue to display and correctly maintain in a clear and legible condition in conspicuous places on the work, notices in English and in the local Indian languages spoken by the majority of the workers giving the minimum rates of wages fixed under Minimum Wages Act, the actual wages being paid, the hours of work for which such wage are earned, wages periods, dates of payments of wages and other relevant information as per Appendix 'III'.

### 5. PAYMENT OF WAGES

- i) The contractor shall fix wage periods in respect of which wages shall be payable. ii) No wage period shall exceed one month.
- iii) The wages of every person employed as contract labour in an establishment or by a contractor where less than one thousand such persons are employed shall be paid before the expiry of seventh day and in other cases before the expiry of tenth day after the last day

of the wage period in respect of which the wages are payable.

- iv) Where the employment of any worker is terminated by or on behalf of the contractor the wages earned by him shall be paid before the expiry of the second working day from the date on which his employment is terminated.
- v) All payment of wages shall be made on a working day at the work premises and during the working time and on a date notified in advance and in case the work is completed before the expiry of the wage period, final payment shall be made within 48 hours of the last working day.
- vi) Wages due to every worker shall be paid to him direct or to other person authorized by him in this behalf.
- vii) All wages shall be paid in current coin or currency or in both.
- viii) Wages shall be paid without any deductions of any kind except those specified by the Central Government by general or special order in this behalf or permissible under the Payment of Wages Act 1956. ix) A notice showing the wages period and the place and time of disbursement of wages shall be displayed at the place of work and a copy sent by the contractor to the Engineer-in-Charge under acknowledgment.
- x) It shall be the duty of the contractor to ensure the disbursement of wages in the presence of the TA/JE or any other authorized representative of the Engineer-in-Charge who will be required to be present at the place and time of disbursement of wages by the contractor to workmen.

The contractor shall obtain from the TA /JE or any other authorised representative of the Engineer- in-Charge as the case may be, a certificate under his signature at the end of the entries in the "Register of Wages" or the "Wage-cum Muster Roll" as the case may be in the following form:

### 6. FINES AND DEDUCTIONS WHICH MAY BE MADE FROM WAGES

- (i) The wages of a worker shall be paid to him without any deduction of any kind except the following:
- a) Fines
- b) Deductions for absence from duty i.e. from the place or the places where by the terms of his employment he is required to work. The amount of deduction shall be in proportion to the period for which he was absent. c) Deduction for damage to or loss of goods expressly entrusted to the employed person for custody, or for loss of money or any other deduction which he is required to account, where such damage or loss is directly attributable to his neglect or default.
- d) Deduction for recovery of advances or for adjustment of overpayment of wages, advances granted shall be entered in a register.
- e) Any other deduction which the Central Government may from time to time allow.
- ii) No fines should be impose on any worker save in respect of such acts and omissions on his part as have been approved of by the Chief Labour Commissioner.

**Note** :- An approved list of acts and omissions for which fines can be imposed is enclosed at Appendix-I

- iii) No fine shall be imposed on a worker and no deduction for damage or loss shall be made from his wages until the worker has been given an opportunity of showing cause against such fines or deductions.
- iv) The total amount of fine which may be imposed in anyone wage period on a worker shall

not exceed an amount equal to three paise in a rupee of the total wages, payable to him in respect of that wage period.

- v) No fine imposed on any worker shall be recovered from him by installment, or after the expiry of sixty days from the date on which it was imposed.
- vi) Every fine shall be deemed to have been imposed on the day of the act or omission in respect of which it was imposed.

### 7. LABOUR RECORDS

- f) The contractor shall maintain a Register of persons employed on work on contract in Form XIII of the CL (R &A) Central Rules 1971 (Appendix IV)
- g) The contractor shall maintain a **Muster Roll** register in respect of all workmen employed by him on the work under Contract in Form XVI of the CL (R&A) Rules 1971 (Appendix V).

The contractor shall maintain a **Wage Register** in respect of all workmen employed by him on the work under contract in Form XVII of the CL (R&A) Rules 1971 (Appendix VI)

- (iv) Register of accident: The contractor shall maintain a register of accidents in such form may be convenient at the work place but the same shall include the following particulars:
- a) Full particulars of the labourers who met with accident
- b) Rate of wages c) Sex
- d) Age
- e) Nature of accident and cause of accident
- f) Time and date of accident
- g) Date and time when admitted in Hospital
- h) Date of discharge from the Hospital
- i) Period of treatment and result of treatment.
- j) Percentage of loss of earning capacity and disability as assessed by Medical officer.
- k) Claim required to be paid under Workmen's Compensation Act.
- I) Date of payment of compensation
- m) Amount paid with details of the person to whom the same was paid.
- n) Authority by whom the compensation was assessed.
- v) The contractor shall maintain a **Register of Fines** in the Form XII of the CL (R &A) Rules 1971 (Appendix-XI)

The contractor shall display in a good condition and in a conspicuous place of work the approved list of acts

and omissions for which fines can be imposed (Appendix-X)

- vi) The contractor shall maintain a **Register of deductions for damage or loss** in Form XX of the CL (R&A) Rules 18971 (Appendix-XII)
- vii) The contractor shall maintain a **Register of Advances** in Form XXIII of the CL (R&A) Rules 1971

(Appendix-XIII)

viii) The contractor shall maintain a **Register of Overtime** in Form XXIII of the CL (R&A) Rules 1971 (Appendix-XIV)

### 8. ATTENDANCE CARD-CUM-WAGE SLIP

- i)The contractor shall issue an **Attendance card cum wage slip** to each workman employed by him in the specimen form at (Appendix-VII)
- ii) The card shall be valid for each wage period.
- iii) The contractor shall mark the attendance of each workman on the card twice each day, once at the commencement of the day and again after the rest interval, before he actually starts work.
- iv) The card shall remain in possession of the worker during the wage period under reference.
- v) The contractor shall complete the wage slip portion of the reverse of the card at least a day prior to the disbursement of wages in respect of the wage period under reference.
- vi) The contractor shall obtain the signature or thumb impression of the worker on the wage slip at the time of disbursement of wages and retain the card with himself.

### 9. EMPLOYMENT CARD

The contractor shall issue an Employment Card in Form XIV of the CL (R&A) Central Rules 1971 to each worker within three days of the employment of the worker (Appendix-VIII).

### 10. SERVICE CERTIFICATE

On termination of employment for any reason whatsoever the contractor shall issue to the workman whose services have been terminated, a Service certificate in Form XV of the CL (R&A) Central Rules 1971 (Appendix-IX)

### 11. PRESERVATION OF LABOUR RECORDS

All records required to be maintained under Regulations Nos. 6&7 shall be preserved in original for a period of three years from the date of last entries made in them and shall be made available for inspection by the Engineer-in-Charge or Labour Officer or any other officers authorised by the Ministry of Urban Development in this behalf,

### 12. POWER OF AUTHORISED PERSON TO MAKE INVESTIGATIONS OR ENQUIRY

Any person authorised by Institute on their behalf shall have power to make enquiries with a view to ascertaining and enforcing due and proper observance of Fair Wage clauses and the Provisions of these Regulations. He shall investigate into any complaint regarding the default made by the contractor or subcontractor in regard to such provision.

### 13. REPORT OF AUTHORISED PERSONS

The persons authorised as aforesaid shall submit a report of result of his investigation or enquiry to the Engineer-in-charge concerned indicating the extent, if any, to which the default has been committed with a note that necessary deductions from the contractor's bill be made and the wages arid other dues be paid to the labourers concerned, In case an appeal is made by the contractor under Clause 13 of these regulations, actual payment to labourers will be made by the Engineer-in-charge after a decision has been given on such appeal

i) The Engineer-in-charge shall arrange payments to the labour concerned within 45 days from the receipt of the report.

### 14. APPEAL AGAINST THE DECISION

Any person aggrieved by the decision and recommendations of the person so authorised may appeal against such decision to the Registrar concerned within 30 days from the date of decision, forwarding simultaneously a copy of his appeal to the Executive Engineer concerned but subject to such appeal, the decision of the officer shall be final and binding upon the contractor.

### 15. PROHIBITION REGARDING REPRESENTATION THROUGH LAWYER

- i) A workman shall be entitled to be represented in any investigation or enquiry under these regulations by :
- a) An officer of a registered trade union of which he is a member.
- b) An officer of a federation of trade unions to which the trade union referred to in clause (a) is affiliated.
- c) Where the employer is not a member of any registered trade union, by an officer of a registered trade union, connected with the industry in which the worker in employed or by any other workman employed in the industry in which the worker is employed.
- ii) An employer shall be entitled to be represented in any investigation or enquiry under these regulations by :-
- An officer of an association of employers of which he is a member
- b) An officer of a federation of associations of employers to which association referred to in clause
- c) Where the employer is not a member of any association of employers, by an officer of association of employer connected with the industry in which the employer is engaged.
- (iii) No party shall be entitled to be represented by a legal practitioner in any investigation or enquiry under these regulations.

### 16. INSPECTION OF BOOKS AND SLIPS

The contractor shall allow inspection of all the. prescribed labour records to any of his workers or to his agent at a convenient time and place after due notice is received or to the Labour Officer or any other person, authorised by the Central Government on his behalf.

### 17. SUBMISSIONS OF RETURNS

The contractor shall submit periodical returns as may be specified from time to time.

### 18. AMENDMENTS

The University may from time to time add to or amend the regulations and on any question as to the application/Interpretation or effect of those regulations the decision of the Assistant Engineer(E) concerned shall be final.

### Scope of work:

1) The successful tenderer to keep all the air conditioning units as per the list in proper working conditions as per the schedule of maintenance prescribed by the manufacturers.

- 2) All the machines should be checked once in three months about the cooling efficiency, noise and air flow, thermal insulation of refrigerant piping, top up of gas & leaking, water leaking etc and cleaning of filters and machines. The report should be submitted every machines after carrying out the each routine or breakdown maintenance.
- 3) This contract is for item wise services of ACs which includes all major components from compressors to capacitors. This contract includes replacement of failure parts with new parts such as compressors of same make/model, evaporators, indoor/outdoor units, fan motors, blades, remote controllers, remote PCB board, chord wires etc.,. All failure parts will be replaced with new one, no reconditioning parts will be allowed.
- 4) No payment will be made if the machine was not attended either for breakdown or for routine maintenance works. At the time of breakdown of the machines, the routine maintenance can also be carried out.
- 5) Generally, all the air conditioning machines are in good working conditions and the successful tenderer has to inform prior to attend / replacement of components which found to be defective while routine services or attended on the director of the Engineer In charge.
- 6) The contact will start from 0800 hrs of starting date and will end on 0800 hours of closing date.
- 7) List of breakdown calls received by this office will be intimated to the supervisor of the contractor in the form of job card and the same should be returned to Engineer In Charge on the same day after attending the breakdown/status of complaints. All complaints will be attended by the same day. The complaints fall under the category of compressor replacement, indoor & outdoor fan motor/blades and remote controller should be attended within 2 working days otherwise penalty will be imposed at the rate Rs. 100 per day per AC from the date of breakdown. The service report for attending the breakdown/routine maintenance should obtain the signature from the concerned department in charge.
- 8) The routine maintenance schedule should be prepared by the contractor in such a way that all the machines should be serviced once in three months as per the list provided by the engineer accordingly.
- 9) The working hours of our Institute will be 0800 hours to 1730 hours on all days except Sundays. The technician/mechanic shall be well conversant with attending the fault in ACs. Avoid disturbances to the user while attending the fault. The contractor shall be ready to attend emergency fault during holidays and other than office hours if found essential so that the contractor should give the mobile number of the contact person. The contractor shall provide required technician/mechanic/supervisor with the required qualification and experience at this Institute during the term of contract to attend the routine/breakdown maintenance.
- 10) The successful tenderer shall get the photo identity card from the Security Section of the University for their staff before entering into the contract and the staff should always carry this photo ID wherever they go for attending the works.
- 11) At the end of every month, the contractor should submit their invoices along with the details of machines attended for routine/breakdown maintenance in the format as required by engineer incharge on or before 7<sup>th</sup> day of the consecutive month.
- 12) It is the responsibility of the contractor to provide suitable/necessary tools required for attending all types ACs including ladders to reach the outdoor/indoor units, welding/brazing machines, blowers, cylinders and meters for checking the cooling efficiency and air delivery of the machines.
- 13) Always ensure the availability of the required spares at the contractors' stores in the campus.

# PONDICHERRY UNIVERSITY PRE QUALIFICATION/TECHNICAL BID

Name of work: "Comprehensive AMC for Window/Split Air conditioners in Zone-II area of University Campus for the year 2015-16"

S.No	Details to be enclosed for verification		Whether proof is enclosed please say "YES" if enclosed and "NO" if not enclosed (Please indicate reference to page number of the tender document)				
1.	Demand Draft towards cost of tender for Rs. 520/- (Rs. 500 + 4% VAT) drawn in favour of Finance Officer, Pondicherry University, Puducherry payable at Puducherry.			Demand Draft No			Yes/No Page No.
2.	A Demand Draft for Rs. 8,468/- (Rupees eight thousand four hundred sixty eight only) towards Earnest Money Deposit drawn in favour of Finance Officer, Pondicherry University, Puducherry and payable at Puducherry. The Demand Draft should have been drawn after the date of call of the Tender. (If exempted from payment of EMD, a copy of the exemption certificate authorizing such exemption, should be enclosed indicating page No. of tender document)			Demand Draft No			Yes/No Page No.
3.	Proof for havin	ng successfully comp financial year 2012-7 Name of Institutions & Address	13 to 20		Annual Contract value (Rs.in lakhs)	Copy should enclose (please page n	of proof be d.

Note: If any of the above requirements are not satisfied, the financial bids of such tenderers will not be opened. In this case the decision of the Registrar will be final and no further correspondence will be entertained on this.

# Annexure to pre qualification Bid/Technical Bid

# The details of air conditioner to be maintained under Zone-II area of University Campus

S.No.	Description	Capacity	Model	Number of AC
1.	Air conditioner	1.5 ton	window	5
2.	Air conditioner	1 ton	Split	32
3.	Air conditioner	1.5 ton	Split	173
4.	Air conditioner	2.0 ton	split	137
5.	Air conditioner	2.5 ton	split	7
•			Total	354



# PONDICHERRY UNIVERSITY ELECTRICAL WING PUDUCHERRY - 14

### **Price Bid**

Name of work : Comprehensive AMC for Window/Split Air

conditioners in Zone-II area of University Campus for

the year 2015-16

Date and Time of Submission : 23/12/2015

Time: 03.00 pm

Date of Opening of price bid : will be intimated later

Venue : EC HALL, University Campus

**REGISTRAR** 

# PONDICHERRY UNIVERSITY PUDUCHERRY

# TENDER DOCUMENT FOR Comprehensive AMC for Window/Split Air conditioners in Zone-II area of University Campus for the year 2015-16 PRICE BID BILL OF QUANTITIES Notice inviting tender, conditions of contract, additional specifications, general conditions of contract etc., are available under technical bid.



# PONDICHERRY UNIVERSITY ELECTRICAL WING TENDER DOCUMENT FOR

Comprehensive AMC for Window/Split Air conditioners in Zone-II area of University Campus for the year 2015-16

## **BILL OF QUANTITIES**

SI. No	Description of work	Qty	R at	Amount in Rs.
	Comprehensive annual maintenance charges for			
	the Window/split, model air conditioners of			
	following capacity including replacement new			
1.	compressors, electrical accessories, all spares of			
	the machines like indoor units, Stabilizers, fan			
	motors and blades, condenser coils,			
	evaporator coils, remote controllers, control			
	wirings and terminal blocks, component			
	housings/cover, vacuumising, pressure testing			
	and gas filling if necessary during maintenance.			
a.	1.5 TR window	5		
b.	1 TR split	32		
C.	1.5 TR split	173		
d.	2 TR split	137		
e.	2.5 TR split	7		

2.	Shifting of split AC unit including dismantling from one location, reinstallation in another location with due procedures such as vacuum the system, pressure testing with N2 gas, refrigerant tapping up, commissioning etc			
a.	1.5 TR window	1		
b.	1/1.5 TR split	1		
C.	2 TR split	1		
3.	Supply of suitable pair of copper pipe with insulation to connect liquid line and evaporator including suitable three core			
a.	1/1.5 ton split	1 metre		
b.	2 TR split	1 metre		
			Total	

Total A	Amount in words Rupe	<del>9</del> 8
		8.5 & 9.6 under Technical Bid

**Signature of the Contractor** 

Registrar