

**PONDICHERRY UNIVERSITY**  
**ENGINEERING WING**

**Er.N.SANKARAMOURTHY, B.E.,**  
EXECUTIVE ENGINEER

No.PU/EW/NIQ/2017-18/

Date: 23.10.2017

**NOTICE INVITING QUOTATIONS**

For and on behalf of Pondicherry University, Executive Engineer, Engineering wing, Pondicherry University invites sealed quotations from the eligible / working contractors for the work of “Providing aluminium partition and false ceiling for computer cluster room at Centre for Nano Science & Technology”. The rates should be filled in the schedule enclosed with this and placed in a sealed cover by superscribing the name of the work in the cover as mentioned above. An amount of Rs.2,000/- has to be furnished towards EMD which shall be in the form of demand draft from any one of the nationalized banks payable at Pondicherry, drawn in favour of the Finance officer, Pondicherry University.

The filled in quotation shall to be placed in the tender box kept in the reception counter at Dr.B.R.Ambedhkar Administrative Block, Pondicherry University. The quotations will be received up to 3.00 p.m. on 09.11.2017 and will be opened at 3.30 p.m. on the same day in the presence of tenderers those who present at the time of opening.

The Executive Engineer, Engineering wing, Pondicherry University reserves the right to accept or reject any or all quotation without assigning any reason thereof.

**EXECUTIVE ENGINEER**

**Encl: Schedule**

**PONDICHERY UNIVERSITY**  
**ENGINEERING WING**

**SCHEDULE OF WORK**

*Name of the work:* Providing aluminium partition and false ceiling for computer cluster room at Centre for Nano Science & Technology.

<b>S. No.</b>	<b>Description</b>	<b>Qty.</b>	<b>Rate Rs.P.</b>	<b>Unit</b>	<b>Amount Rs.P.</b>
1 12.6 2	Providing and fixing false ceiling works using superior fire rated gypsum board of 12.5mm tk mounted on GI frame work with ceiling section of size 80x26x0.55x3660 mm spacing at 600mm c/c suspended from ceiling using hanger rods at 1200mm c/c with screw to level and line and applying one coat of primer , two coats of putty followed by and reflective paint in front of the stage area to the required shape and size , including scaffolding etc.complete as directed by the engineer -in-charge upto 6.5m height,	12.00		Sqm	
2 13.6 0.1A	Wall painting with plastic emulsion paint Royal of approved brand and manufacture to give an even shade - two or more coats on new work	12.00		Sqm	
3 21.1. 1.1	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections / appropriate Z sections and other sections of approved make conforming to IS : 733 and IS : 1285, fixed with rawl plugs and screws or with fixing clips, or with expansion hold fasteners including necessary filling up of gaps at junctions, at top, bottom and sides with required PVC / neoprene felt etc. Aluminium sections shall be	77.00		Kg	

	smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / panelling, C.P. brass / stainless steel screws, all complete as per architectural drawings. (Glazing and panelling to be paid for separately) : For fixed portion. Anodised aluminium (anodised transparent or dyed to required shade according to IS : 1868, Minimum anodic coating of grade AC 15)				
4 21.1. 2.1	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections / appropriate Z sections and other sections of approved make conforming to IS : 733 and IS : 1285, fixed with rawl plugs and screws or with fixing clips, or with expansion hold fasteners including necessary filling up of gaps at junctions, at top, bottom and sides with required PVC / neoprene felt etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / panelling, C.P. brass / stainless steel screws, all complete as per architectural drawings. (Glazing and panelling to be paid for separately) : For shutters of doors, windows and ventilators including providing and fixing hinges / pivots and making provision for fixing of fittings wherever required including the cost of PVC / neoprene gasket	26.50		Kg	

	required (fittings shall be paid for separately) Anodised aluminium (anodised transparent or dyed to required shade according to IS : 1868, minimum anodic coating of grade AC15).				
5 21.3. 1	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc., with PVC / neoprene gasket etc., complete as per the architectural drawings. (cost of aluminium snap beading shall be paid in basic item) : With float glass panes of 5.0mm thickness.	9.00		Sqm	
6 21.2. 1	Providing and fixing 9mm thick prelaminated particle board flat pressed three layer or graded wood particle board conforming to IS : 12823 grade 1 type II in panneling fixed in aluminium doors, windows, shutters and partition frames with C.P. brass / stainless steel screws etc., complete as per architectural drawings. Prelaminated particle board with decorative lamination on one side and balancing lamination on other side.	18.00		Sqm	
7 9.84	Providing and fixing IS:3564 make aluminium extruded section body tubular type universal hydraulic door closer with double speed adjustment with necessary accessories and screws B60etc.complete	3.00		Each	
8 9.10 0.1	Providing and fixing aluminium handles ISI marked anodised (anodic coating not less than grade as per 10 as per IS:1868) transparent or dyed to required colour or shade with necessary screws etc.complete :- 125mm	6.00		Each	

9 9.97. 4	Providing and fixing aluminium tower bolts ISI marked anodised (anodic coating not less than grade AC 10 as per IS:1868) transparent or dyed to required colour or shade with necessary screws etc.complete : - 150x10mm	4.00		Each	
10 9.11 3	Providing and fixing bright finished 100mm mortice lock with 6 levers without pair of handles for aluminium door with necessary screws etc complete (best make of approved quality)	3.00		Each	
11 MR	Supplying and fixing of aluminium sliding door gear set. The rate including bearing, wheel, screws etc., complete as directed by the engineer-in-charge.	1.00		Set	
	<b>Total</b>				

**Terms & Conditions:**

- i) The rates specified are firm and not subject to any variation.
- ii) The work should be completed within 20 days.
- iii) Payment will be made only after completion of the entire work.
- iv) The material should be got approved before commencement of work.

**EXECUTIVE ENGINEER**