

PONDICHERY UNIVERSITY
ENGINEERING WING

SCHEDULE OF WORK

Name of the work: Annual maintenance and special repairs to the Health Centre at University campus

S.No.	Description	Qty.	Rate Rs.P.	Unit	Amount Rs.P.
1	Code no:15.56				
	Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50m lead.	370.00		Sqm	
2	Code no:13.3.1				
	20mm cement plaster of mix 1:4 (1cement : 4 fine sand)	380.00		Sqm	
3	Code no:14.42.1				
	White washing with lime to give an even shade-Old work (two or more coats).	665.00		Sqm	
4	Code no:14.46				
	Removing dry or oil bound distemper, water proofing cement paint and the like by scrapping, sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete.	1150.00		Sqm	
5	Code no:14.45.1				
	Distemping with oil bound washable distemper of approved brand and manufacture to give an even shade - Old work (one or more coats).	1150.00		Sqm	
6	Code no:13.43.1				
	Applying one coat of cement primer of approved brand and manufacture on wall surface - Cement primer	380.00		Sqm	
7	Code no:14.66.1				
	Finishing walls with Acrylic Smooth exterior paint of required shade - Old work (Two or more coats applied @ 1.67 lts/10 sqm.) on existing cement	1250.00		Sqm	

	paint surface				
8	Code no:14.54.1				
	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade - One or more coats on old work.	210.00		Sqm	
9	Code no:14.6.1				
	Renewing glass panes, with wooden fillets wherever necessary - Float glass panes of thickness 4mm.	0.50		Sqm	
10	Code no:9.20.1				
	Providing and fixing ISI marked flush door shutters conforming to IS:2202 (Part 1) decorative type, core of block board construction with frame of 1 st class hard wood and well matched teak 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters. 35mm thick including ISI marked stainless steel butt hinges with necessary screws.	2.10		Sqm	
11	Code no:9.23				
	Extra for providing lipping with teak wood battens 25mm minimum depth on all edges of area shutters (over all area of door shutter to be measured) over item no.9.20 and 9.21	2.10		Sqm	
12	Code no:13.50.1				
	Applying priming coat - with ready mixed pink or grey primer of approved brand and manufacture on wood work (hard and soft wood).	5.10		Sqm	
13	Code no:13.61.1				
	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade - Two or more coats on new work.	5.10		Sqm	
14	Code no:9.96.1				
	Providing and fixing aluminium sliding door bolts ISI marked anodised (anodic coating not less than grade AC 10 as per IS:1868) transparent or dyed to required colour or shade with nuts and screws etc. complete:- 300x16mm	1.00		Nos	

15	Code no:9.97.1				
	Providing and fixing aluminium tower bolts ISI marked anodised (anodic coating not less than grade AC 10 as per IS:1868) transparent or dyed to required colour or shade with necessary screws etc.complete : - 300x10mm	1.00		Nos	
16	Code no:9.100.1				
	Providing and fixing aluminium handles ISI marked anodised (anodic coating not less than grade AC 10 as per IS:1868) transparent or dyed to required colour or shade with necessary screws etc.complete :- 125mm	2.00		Nos	
17	Code no:16.100				
	Acid cleaning for the existing Mosaic floors, glazed tiles work and removing the stains and decays to give a glassy look etc complete (The acid used shall be 32% concentrated hydrochloric acid after taking on the precautionary measures)	670.00		Sqm	
18	Code no:11.43				
	Fixing glazed/Ceramic/vitrified floor tiles with cement based high polymer modified quick-set tile adhesive (water based) conforming to IS:15477, using 5kg adhesive per sqm of tile area, in average 3mm thickness.	5.00		Sqm	
	Total				

I hereby abide by the rules & regulations stipulated in the CPWD form no.6 & 8

Contractor

Assistant Engineer